

TECHNICAL SUPPORT BULLETIN

Number: TSB-0439

Date : 96-05-01

Subject: Tecra 720CDT Product Contents

---

Hardware Shipped

System Unit (Seal over power switch)  
Power Cable  
AC Adapter  
Standard RJ-11 Cable  
Accupoint Caps (4 gray, 4 blue, 4 green)  
2 extra PCMCIA cover doors  
Floppy Disk Drive Attachment Case  
Six Speed Toshiba Model 1402B CD-ROM (in sealed packaging)

Software Installed

There is a Dual Installation option for either DOS 6.22/Windows for Workgroups 3.11 or Windows 95.

If Windows 95 is selected, the following software is installed on the HDD:

Microsoft Windows 95  
Windows Utilities - Maxtime and Fn-esse  
TranXIT Utility  
MagiCDisc  
Mouseware 95  
Hypertext on-line help  
on-line User's Manual  
Display Drivers  
CardWorks  
Sound Driver for Windows95  
Modem Driver  
Multimedia Connect  
System Update Disk  
Create System Disks Utility (use to create backup disk images)

If MS-DOS/Windows for Workgroups is selected, the following software is installed on the HDD:

MS-DOS 6.22  
Windows for Workgroups 3.11  
Mouseware95  
Sound Drivers & Audio Applications  
Toshiba CD-ROM driver  
TranXIT  
MagiCDisc  
Toshiba Companion Utility  
Display drivers for Windows  
CardSoft  
Windows utility  
SCSI Soft

Hypertext on-line help  
MS-DOS on-line manual  
Windows for Workgroups on-line manual  
Video Port Manager  
Modem Driver  
Multimedia Connect  
Master Disk Creator (use to create backup disk images)

Manuals Shipped

Introducing Microsoft Windows 95 Shrink Wrapped  
-Authenticity number is included  
-Diskette Labels for Windows 95 diskettes  
Toshiba 720CDT Series Portable Personal Computer User's Manual  
720CDT Computer Internal Modem Installation Guide  
Internal Modem User's Guide  
Multimedia Connect User's Guide  
Safety Instruction Manual  
Toshiba International Limited Warranty information sheet  
International Limited Warranty Application form  
Toshiba Exchange Card  
-to obtain Windows for Workgroups manuals, this form must be completed and returned with shrink wrapped Windows 95 manual  
Puma Technology TranXIT information

TVER yields:

WIN311  
Toshiba Companion Diskette / RCA93US

System Bios version 5.10 dated 04/02/96

WIN95  
Toshiba Companion Diskette / W95C09US

System Bios version 5.10 dated 04/02/96

CONFIG.SYS (Windows 95)

---

DOS  
ROM  
on

REM Tip: Put the real-mode driver for your CD-ROM in here.  
REM It won't be used by Windows 95, but it will be used if you  
REM choose "Restart your computer in MS-DOS mode" from  
REM the Shutdown menu in Windows or if you choose F8 and select  
REM one of the Startup menu options that let you enter into MS-  
REM instead of loading the Windows 95 GUI.  
REM  
REM Be sure the information following the /D switch on the CD-  
REM driver matches the information following the /d: parameter  
REM MSCDEX loaded in Autoexec.bat.

AUTOEXEC.BAT (Windows 95)

---

@ECHO OFF

REM  
REM  
REM

CONFIG.SYS (DOS 6.22/Windows for Workgroups 3.11)

---

DEVICE=C:\CRYSTAL\C2432C.EXE  
DEVICE=C:\DOS\HIMEM.SYS  
DEVICE=C:\DOS\EMM386.EXE NOEMS X=D000-DFFF  
DEVICE=C:\DOS\POWER.EXE  
DEVICE=C:\DOS\SETVER.EXE  
DEVICE=C:\WINDOWS\IFSHLP.SYS  
DEVICE=C:\CDDRV\TOSCDROM.SYS  
DEVICE=C:\AMDSCSI\AMSIDA.SYS /V /RST  
DEVICE=C:\AMDSCSI\AMSIDC.SYS /D:AMDCD001  
DEVICE=C:\AMDSCSI\AMSIRM.SYS  
DEVICEHIGH=C:\CARDWIZ\SSTPIC95.EXE  
DEVICEHIGH=C:\CARDWIZ\SSCB16TO.EXE  
DEVICEHIGH=C:\CARDWIZ\CS.EXE /POLL:1  
DEVICE=C:\CARDWIZ\CSALLOC.EXE /S  
REM -----Please remove following REM statement(s)  
REM if you use PCMCIA memory type card(s).-----  
REM DEVICEHIGH=C:\CARDWIZ\ATADRV.EXE /D:2  
REM DEVICEHIGH=C:\CARDWIZ\MTAA.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTAB.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTI1.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTI2P.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTHB2.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTATM.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTSRAM.EXE  
REM DEVICEHIGH=C:\CARDWIZ\MTDDRV.EXE  
REM DEVICEHIGH=C:\CARDWIZ\FTL.EXE  
REM DEVICEHIGH=C:\CARDWIZ\SSMSFLSH.SYS  
DEVICEHIGH=C:\CARDWIZ\CARDID.EXE  
INSTALL=C:\CARDWIZ\CS\_APM.EXE  
DOS=HIGH,UMB  
FILES=30  
STACKS=9,256  
LASTDRIVE=P

AUTOEXEC.BAT (DOS 6.22/Windows for Workgroups 3.11)

---

@ECHO OFF

PROMPT \$p\$g  
LH C:\DOS\MSCDEX /D:TOSCD001 /M:10  
C:\DOS\MSCDEX.EXE /D:AMDCD001  
C:\DOS\SMARTDRV.EXE /X  
PATH C:\;C:\DOS;C:\WINDOWS;C:\CRYSTAL;C:\AMDSCSI  
SET BLASTER=A220 I9 D1 T4  
SET TEMP=C:\DOS  
SET LMOUSE=C:\MOUSE  
C:\MOUSE\MOUSE  
C:\DOS\SHARE.EXE /L:500

REM  
REM  
REM  
WIN

CHKDSK

---

WIN3.11

Volume S356012D001 created 10-12-1995 6:02 pm  
Volume Serial Number is 2610-0FF5

1,213,628,416 bytes total disk space  
    262,144 bytes in 4 hidden files  
    753,664 bytes in 23 directories  
    157,483,008 bytes in 1,652 user files  
1,055,129,600 bytes available on disk

    32,768 bytes in each allocation unit  
    37,037 total allocation units on disk  
    32,200 available allocation units on disk

    655,360 total bytes memory  
    465,904 bytes free

WIN95

Volume S356012D001 created 10-12-1995 6:02 pm  
Volume Serial Number is 3861-12D7

1,213,628,416 bytes total disk space  
    6,291,456 bytes in 28 hidden files  
    2,621,440 bytes in 80 directories  
    177,569,792 bytes in 1,885 user files  
1,027,145,728 bytes available on disk

    32,768 bytes in each allocation unit  
    37,037 total allocation units on disk  
    32,346 available allocation units on disk

    655,360 total bytes memory  
    619,264 bytes free