




# Index

Subject	Page
Abbreviate	14
APPEND	26
ASCII	26, 53
ATTRIB	10, 24, 27, 60
AUTO	29, 72
BACKUP	8, 25, 57, 67
BASIC	17
BASIC*	91
Baud	12, 62
Bits	i, 62
BKSPC	82
<b>BREAK</b>	29, 31, 44, 96
Buffer	91, 123
BUILD	29, 31, 45, 57
Byte	i, 18, 62, 74
Cable (Ribbon)	1, 2
Cass?	12
CLEAR	31, 32, 45, 72
CLOCK	33
CLOSE	125
CLOAD	63
CLS	33
CMD"A"	93, 95
CMD"B"	93, 96
CMD"C"	93, 96
CMD"D"	93, 97
CMD"E"	93, 98
CMD"I"	93, 98
CMD"J"	93, 99
CMD"L"	93, 100
CMD"O"	93, 101
CMD"P"	93, 102
CMD"R"	93, 103
CMD"S"	93, 103
CMD"T"	93, 104
CMD"X"	93, 104
CMD"Z"	93, 105
Commands	
Auto	29-30
Entering	20
Forms of	21


Subject	Page
Library	26-66
Syntax	20
Utility	67-89
CONVERT	8, 10, 25, 68
COPY	34, 50
CREATE	35
CSAVE	63
CVD, CVI, CVS	139-40
Data Diskette	See Diskette
DATE	36, 37
DCB	76
DEBUG	37
DEF FN	93, 106
Definitions	
Comments	21-2
Delimiter	22
Filename	21-2
Options	22
DEFUSR	93, 108
DIR	25, 27, 44
Disk BASIC	
Abbreviations	95
Instructions	11, 12
Starting	11, 91-2
Disk Drive	
0 and 1	1, 4, 6, 10, 34, 55
2, 3 (External)	1, 4
Expansion	1, 4
Installation	1, 4
Diskette	
Care	5
Data	i, 24
Description	5
Inserting	5, 7
Labelling	6
Notch-protect	5
Organization	74
Specifications	15
System	i, 6, 24
DIVIDE	83
DMULT	84
DO	31, 32, 46, 57, 71
Drive Specification	23
DUAL	47
DUMP	48, 54, 59



## TRS-80 MODEL III DISK SYSTEM

<b>Subject</b>	<b>Page</b>
EOF (End-of-file)	45, 75, 140-1
ERROR	49
Error	13
Disk BASIC	155
TRSDOS	90
Extents	See <b>Technical Information</b>
FIELD	134-6
File	
Access	116, 123, 145
APPEND	26
COPY	34
Manipulation	116, 118
System vs User	25
Variable Length	91
Filename	23, 44
File Specification	22
FILPTR	85
FORMAT	8, 9, 25, 70
FORMS	49
FREE	35, 50
GET	136-7
Granules	
Allocation	50
Defined	74
Number of	45, 51, 74
HELP	51, 53
HERZ50	71
Hexadecimal	32, 38, 41, 48, 53 55, 59, 93, 94
INIT	78
INPUT #	126-30
Installation	1-3
INSTR	93, 108
I/O	32, 61
I/O Calls	75, 77-89
KILL	52, 118
LSET	138-9
LIB	53
LINE INPUT	110, 93
LINE INPUT #	130-1
LIST	53
LOAD	12, 54, 118
Load	11
LOC	141-2
LOF	142
LPC	71
Maintenance	13
MASTER	55, 64
Memory	
Display	38
Map	19
User	38, 59

<b>Subject</b>	<b>Page</b>
Memory Size?	11
MEMTEST	72
MERGE	119
MID\$	93, 111
MKD\$, MKI\$, MKS\$	143-4
NAME	93, 112
NEW	11
Notations/Abbreviations	14
Octal	93, 94
OPEN	123, 4
Operation	4
Password	8, 24, 25, 27 57, 60, 67, 69
Access	27
Changing	27
Master	9, 25
Protecting	69
Update	27
PATCH	12, 55
PAUSE	56
POSEOF	82
POSN	79
Power On/Off	4, 30
PRINT #	131-3
Printer	31, 47, 105
Programming	ii, 11
PROT	10, 25, 57
PURGE	25, 58
PUT	137-8
PUTEXT	81
RAM	18, 32, 40, 64, 71, 73
RAMDIR	84
Random File Access	150-4
General Procedure	153
Techniques	150
READ	70
Record Length	35, 45
Logical Length	26, 35, 45, 76
Number of	45, 77
Physical	77
RELO	59
RENAME	35, 60
Reset	30, 73
Location	4
REWIND	82
ROM	73
ROUTE	47, 61
RSET	138-9
RS-232-C	62
RUN	120
SAVE	11, 121




<b>Subject</b>	<b>Page</b>
Save .....	11
Sector .....	77
SETCOM .....	62
Sequential File Access .....	146-149
Sequential Input .....	147
Sequential Line Input .....	149
Sequential Output .....	146
Starting	
Auto .....	29
Disk BASIC .....	11
System .....	6
TRSDOS .....	7
Specifications .....	15
System Diskette .....	See "Diskette"
Syntax .....	83
TAPE .....	63
TIME .....	64
Troubleshooting .....	7, 13
TRSDOS	
Definition .....	17-19
Start-up .....	7
Using .....	20
USING .....	133-4
USRn .....	93, 113
VERF .....	81
Video output .....	47, 105
WP .....	65
WRITE .....	80-1
Write-protect notch .....	5
XFERSYS .....	73
Z-80 .....	37, 39, 40, 41, 48 55, 56, 63
&H and &O .....	93-4

<b>Subject</b>	<b>Page</b>
----------------	-------------

## Figures and Tables

A Diskette .....	5
Connection of the External Disk Cable to the Model III .....	2
Connection of External Disk Drives .....	3
Directory Listing (DIR) .....	45
External Disk Cable with Plugs Labeled .....	2
Free Map (FREE) .....	51
Full-Screen Format (DEBUG) .....	43
GET and PUT .....	150
Half-Screen Format (DEBUG) .....	40
Input Process (INPUT) .....	129
Inserting a Diskette .....	7
Model III Disk System with External Drives .....	4
TRSDOS Memory Map .....	19
TRSDOS Roles .....	19



## TRS-80 MODEL III DISK SYSTEM

---

### Radio Shack Software License

The following are the terms and conditions of the Radio Shack Software License for copies of Radio Shack software either purchased by the customer, or received with or as part of hardware purchased by customer:


- A. Radio Shack grants to CUSTOMER a personal, non-exclusive, paid up license to use the Radio Shack computer software programs received. Title to the media on which the software is recorded (cassette and/or disk) or stored (ROM) is transferred to the CUSTOMER, but not title to the software.
- B. In consideration for this license, CUSTOMER shall not reproduce copies of such software programs except to produce the number of copies required for personal use by CUSTOMER (if the software allows a backup copy to be made), and to include Radio Shack's copyright notice on all copies of programs reproduced in whole or in part.
- C. CUSTOMER may resell Radio Shack's system and applications software (modified or not, in whole or in part), provided CUSTOMER has purchased one copy of the software for each one resold. The provisions of this Software License (paragraphs A, B, and C) shall also be applicable to third parties purchasing such software from CUSTOMER.

### Important Note

**All Radio Shack computer programs are licensed on an "as is" basis without warranty.**

Radio Shack shall have no liability or responsibility to customer or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused directly or indirectly by computer equipment or programs sold by Radio Shack, including but not limited to any interruption of service, loss of business or anticipatory profits or consequential damages resulting from the use or operation of such computer or computer programs.

Good data processing procedure dictates that the user test the program, run and test sample sets of data, and run the system in parallel with the system previously in use for a period of time adequate to insure that results of operation of the computer or program are satisfactory.



---

## Service Policy

Radio Shack's nationwide network of service facilities provides quick, convenient, and reliable repair services for all of its computer products, in most instances. Warranty service will be performed in accordance with Radio Shack's Limited Warranty. Non-warranty service will be provided at reasonable parts and labor costs.

Because of the sensitivity of computer equipment, and the problems which can result from improper servicing, the following limitations also apply to the services offered by Radio Shack:

1. If any of the warranty seals on any Radio Shack computer products are broken, Radio Shack reserves the right to refuse to service the equipment or to void any remaining warranty on the equipment.
2. If any Radio Shack computer equipment has been modified so that it is not within manufacturer's specifications, including, but not limited to, the installation of any non-Radio Shack parts, components, or replacement boards, then Radio Shack reserves the right to refuse to service the equipment, void any remaining warranty, remove and replace any non-Radio Shack part found in the equipment, and perform whatever modifications are necessary to return the equipment to original factory manufacturer's specifications.
3. The cost for the labor and parts required to return the Radio Shack computer equipment to original manufacturer's specifications will be charged to the customer in addition to the normal repair charge.



## IMPORTANT NOTICE

ALL RADIO SHACK COMPUTER PROGRAMS ARE LICENSED ON AN "AS IS" BASIS WITHOUT WARRANTY.

Radio Shack shall have no liability or responsibility to customer or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused directly or indirectly by computer equipment or programs sold by Radio Shack, including but not limited to any interruption of service, loss of business or anticipatory profits or consequential damages resulting from the use or operation of such computer or computer programs.

NOTE: Good data processing procedure dictates that the user test the program, run and test sample sets of data, and run the system in parallel with the system previously in use for a period of time adequate to insure that results of operation of the computer or program are satisfactory.

## RADIO SHACK SOFTWARE LICENSE

A. Radio Shack grants to CUSTOMER a non-exclusive, paid up license to use on CUSTOMER'S computer the Radio Shack computer software received. Title to the media on which the software is recorded (cassette and/or disk) or stored (ROM) is transferred to the CUSTOMER, but not title to the software.

B. In consideration for this license, CUSTOMER shall not reproduce copies of Radio Shack software except to reproduce the number of copies required for use on CUSTOMER'S computer (if the software allows a backup copy to be made), and shall include Radio Shack's copyright notice on all copies of software reproduced in whole or in part.

C. CUSTOMER may resell Radio Shack's system and applications software (modified or not, in whole or in part), provided CUSTOMER has purchased one copy of the software for each one resold. The provisions of this software License (paragraphs A, B, and C) shall also be applicable to third parties purchasing such software from CUSTOMER.

## LIMITED WARRANTY

For a period of 90 days from the date of delivery, Radio Shack warrants to the original purchaser that the computer hardware unit shall be free from manufacturing defects. This warranty is only applicable to the original purchaser who purchased the unit from Radio Shack company-owned retail outlets or duly authorized Radio Shack franchisees and dealers. This warranty is voided if the unit is sold or transferred by purchaser to a third party. This warranty shall be void if this unit's case or cabinet is opened, if the unit has been subjected to improper or abnormal use, or if the unit is altered or modified. If a defect occurs during the warranty period, the unit must be returned to a Radio Shack store, franchisee, or dealer for repair, along with the sales ticket or lease agreement. Purchaser's sole and exclusive remedy in the event of defect is limited to the correction of the defect by adjustment, repair, replacement, or complete refund at Radio Shack's election and sole expense. Radio Shack shall have no obligation to replace or repair expendable items.

Any statements made by Radio Shack and its employees, including but not limited to, statements regarding capacity, suitability for use, or performance of the unit shall *not* be deemed a warranty or representation by Radio Shack for any purpose, nor give rise to any liability or obligation of Radio Shack.

EXCEPT AS SPECIFICALLY PROVIDED IN THIS WARRANTY OR IN THE RADIO SHACK COMPUTER SALES AGREEMENT, THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL RADIO SHACK BE LIABLE FOR LOSS OF PROFITS OR BENEFITS, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER SIMILAR DAMAGES ARISING OUT OF ANY BREACH OF THIS WARRANTY OR OTHERWISE.

7-80

RADIO SHACK  A DIVISION OF TANDY CORPORATION

U.S.A.: FORT WORTH, TEXAS 76102  
CANADA: BARRIE, ONTARIO L4M 4W5

TANDY CORPORATION

**AUSTRALIA**

280-316 VICTORIA ROAD  
RYDALMERE, N.S.W. 2116

**BELGIUM**

PARC INDUSTRIEL DE NANINNE  
5140 NANINNE

**U.K.**

BILSTON ROAD WEDNESBURY  
WEST MIDLANDS WS10 7JN