



READ CAREFULLY

In order for us to notify you of modifications or updates to this program, you **MUST** complete this card and return it immediately. This card gets you information only and is **NOT** a warranty registration. Register one software package per card only. The registration card is postage paid—it costs you nothing to mail.

Two change of address cards have been included (next page) so that you may continue to receive information in the event that you move. Copy all address information from this Registration Card onto the change of address cards prior to sending in the Registration Card. The change of address cards must show your "old address" **EXACTLY** as you originally registered it with us.

Software Registration Card

Cat. No. 260-5305

Version 01.00.00

Name _____

Company _____

Address _____

City _____ Phone () - _____

State _____ Zip _____




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 138 FORT WORTH, TEXAS

POSTAGE WILL BE PAID BY ADDRESSEE

**Software Registration
Data Processing Dept.
P.O. Box 2910
Forth Worth, Texas 76113-9965**



Change of address

NEW ADDRESS

Name _____

Company _____

Address _____

City _____ Phone () - _____

State _____ Zip _____

OLD ADDRESS

Name _____

Company _____

Address _____

City _____ Phone () - _____

State _____ Zip _____

Change of address

NEW ADDRESS

Name _____

Company _____

Address _____

City _____

State _____ Zip _____

OLD ADDRESS

Name _____

Company _____

Address _____

City _____

State _____ Zip _____

**PLACE
STAMP
HERE**

**Software Registration
Data Processing Dept.
P.O. Box 2910
Fort Worth, Texas 76113-2910**

**PLACE
STAMP
HERE**

**Software Registration
Data Processing Dept.
P.O. Box 2910
Fort Worth, Texas 76113-2910**

Please complete this card and mail it at your earliest convenience. Enrollment in the PFS User Group entitles you to receive product update information, new product announcements, and tips on using the PFS Family of Software.

USER GROUP ENROLLMENT CARD

pfs:file for Tandy model 2000

Owner Name: _____ Title: _____

Company Name: _____

Street: _____

City: _____ State/Country: _____ Zip: _____

Tel: Work (____) _____ Home (____) _____

Industry/Profession: Accounting Finance Legal Science/Engineering
 Agriculture FORTUNE 1000 Media Self-Employed
(✓ the one most Consulting Government Medical Small Business
appropriate) Education Insurance Real Estate Other

When did you buy PFS:FILE (year and month): _____

How familiar are you with computers: Beginner Intermediate Expert

Computer Model: _____ Size: 128K >128K Date Bought: _____

Printer: Make _____ Model _____

Floppy Disk Drives: 1 2+

Have you bought: PFS:REPORT yes no

Comments: _____




BUSINESS REPLY CARD
 FIRST CLASS PERMIT NO. 959 MTN. VIEW, CA

POSTAGE WILL BE PAID BY ADDRESSEE

Software Publishing Corporation
 1901 Landings Drive
 Mountain View, CA 94043

NO POSTAGE
 NECESSARY
 IF MAILED
 IN THE
 UNITED STATES





pfs:
file

user's manual

for Tandy Model 2000 Personal Computers

Program Author: D.D. Roberts
Manual Author: Chris Doerr

NOTICE

SOFTWARE PUBLISHING MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS MATERIAL INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Software Publishing shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

©1983 Software Publishing Corporation
First Printing, November 1983

Software Publishing Corporation
1901 Landings Drive
Mountain View, CA 94043

TERMS AND CONDITIONS OF SALE AND LICENSE OF RADIO SHACK COMPUTER EQUIPMENT AND SOFTWARE PURCHASED FROM A RADIO SHACK COMPANY-OWNED COMPUTER CENTER, RETAIL STORE OR FROM A RADIO SHACK FRANCHISEE OR DEALER AT ITS AUTHORIZED LOCATION

LIMITED WARRANTY

I. CUSTOMER OBLIGATIONS

- A. CUSTOMER assumes full responsibility that this Radio Shack computer hardware purchased (the "Equipment"), and any copies of Radio Shack software included with the Equipment or licensed separately (the "Software") meets the specifications, capacity, capabilities, versatility, and other requirements of CUSTOMER.
- B. CUSTOMER assumes full responsibility for the condition and effectiveness of the operating environment in which the Equipment and Software are to function, and for its installation.

II. RADIO SHACK LIMITED WARRANTIES AND CONDITIONS OF SALE

- A. For a period of ninety (90) calendar days from the date of the Radio Shack sales document received upon purchase of the Equipment, RADIO SHACK warrants to the original CUSTOMER that the Equipment and the medium upon which the Software is stored is free from manufacturing defects. THIS WARRANTY IS ONLY APPLICABLE TO PURCHASES OF RADIO SHACK EQUIPMENT BY THE ORIGINAL CUSTOMER FROM RADIO SHACK COMPANY-OWNED COMPUTER CENTERS, RETAIL STORES AND FROM RADIO SHACK FRANCHISEES AND DEALERS AT ITS AUTHORIZED LOCATION. The warranty is void if the Equipment's case or cabinet has been opened, or if the Equipment or Software has been subjected to improper or abnormal use. If a manufacturing defect is discovered during the stated warranty period, the defective Equipment must be returned to a Radio Shack Computer Center, a Radio Shack retail store, participating Radio Shack franchisee or Radio Shack dealer for repair, along with a copy of the sales document or lease agreement. The original CUSTOMER'S sole and exclusive remedy in the event of a defect is limited to the correction of the defect by repair, replacement, or refund of the purchase price at RADIO SHACK'S election and sole expense. RADIO SHACK has no obligation to replace or repair expendable items.
- B. RADIO SHACK makes no warranty as to the design, capability, capacity, or suitability for use of the Software, except as provided in this paragraph. Software is licensed on an "AS IS" basis, without warranty. The original CUSTOMER'S exclusive remedy, in the event of a Software manufacturing defect, is its repair or replacement within thirty (30) calendar days of the date of the Radio Shack sales document received upon license of the Software. The defective Software shall be returned to a Radio Shack Computer Center, a Radio Shack retail store, participating Radio Shack franchisee or Radio Shack dealer along with the sales document.
- C. Except as provided herein no employee, agent, franchisee, dealer or other person is authorized to give any warranties of any nature on behalf of RADIO SHACK.
- D. Except as provided herein, **RADIO SHACK MAKES NO WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**
- E. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation(s) may not apply to CUSTOMER.

III. LIMITATION OF LIABILITY

- A. EXCEPT AS PROVIDED HEREIN, RADIO SHACK SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY OR INDIRECTLY BY "EQUIPMENT" OR "SOFTWARE" SOLD, LEASED, LICENSED OR FURNISHED BY RADIO SHACK, INCLUDING, BUT NOT LIMITED TO, ANY INTERRUPTION OF SERVICE, LOSS OF BUSINESS OR ANTICIPATORY PROFITS OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR OPERATION OF THE "EQUIPMENT" OR "SOFTWARE". IN NO EVENT SHALL RADIO SHACK BE LIABLE FOR LOSS OF PROFITS, OR ANY INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY BREACH OF THIS WARRANTY OR IN ANY MANNER ARISING OUT OF OR CONNECTED WITH THE SALE, LEASE, LICENSE, USE OR ANTICIPATED USE OF THE "EQUIPMENT" OR "SOFTWARE".
-

NOTWITHSTANDING THE ABOVE LIMITATIONS AND WARRANTIES, RADIO SHACK'S LIABILITY HEREUNDER FOR DAMAGES INCURRED BY CUSTOMER OR OTHERS SHALL NOT EXCEED THE AMOUNT PAID BY CUSTOMER FOR THE PARTICULAR "EQUIPMENT" OR "SOFTWARE" INVOLVED.

- B. RADIO SHACK shall not be liable for any damages caused by delay in delivering or furnishing Equipment and/or Software.
- C. No action arising out of any claimed breach of this Warranty or transactions under this Warranty may be brought more than two (2) years after the cause of action has accrued or more than four (4) years after the date of the Radio Shack sales document for the Equipment or Software, whichever first occurs.
- D. Some states do not allow the limitation or exclusion of incidental or consequential damages, so the above limitation(s) or exclusion(s) may not apply to CUSTOMER.

IV. RADIO SHACK SOFTWARE LICENSE

RADIO SHACK grants to CUSTOMER a non-exclusive, paid-up license to use the RADIO SHACK Software on **one** computer, subject to the following provisions:

- A. Except as otherwise provided in this Software License, applicable copyright laws shall apply to the Software.
- B. Title to the medium on which the Software is recorded (cassette and/or diskette) or stored (ROM) is transferred to CUSTOMER, but not title to the Software.
- C. CUSTOMER may use Software on one host computer and access that Software through one or more terminals if the Software permits this function.
- D. CUSTOMER shall not use, make, manufacture, or reproduce copies of Software except for use on **one** computer and as is specifically provided in this Software License. Customer is expressly prohibited from disassembling the Software.
- E. CUSTOMER is permitted to make additional copies of the Software **only** for backup or archival purposes or if additional copies are required in the operation of **one** computer with the Software, but only to the extent the Software allows a backup copy to be made. However, for TRSDOS Software, CUSTOMER is permitted to make a limited number of additional copies for CUSTOMER'S own use.
- F. CUSTOMER may resell or distribute unmodified copies of the Software provided CUSTOMER has purchased one copy of the Software for each one sold or distributed. The provisions of this Software License shall also be applicable to third parties receiving copies of the Software from CUSTOMER.
- G. All copyright notices shall be retained on all copies of the Software.

V. APPLICABILITY OF WARRANTY

- A. The terms and conditions of this Warranty are applicable as between RADIO SHACK and CUSTOMER to either a sale of the Equipment and/or Software License to CUSTOMER or to a transaction whereby RADIO SHACK sells or conveys such Equipment to a third party for lease to CUSTOMER.
- B. The limitations of liability and Warranty provisions herein shall inure to the benefit of RADIO SHACK, the author, owner and/or licensor of the Software and any manufacturer of the Equipment sold by RADIO SHACK.

VI. STATE LAW RIGHTS

The warranties granted herein give the **original** CUSTOMER specific legal rights, and the **original** CUSTOMER may have other rights which vary from state to state.

preface

This manual explains how to use the PFS:FILE program to help organize and manage the information you use every day. If you are not familiar with the general operation of your computer system, read through the manual that came with it before beginning to use the PFS:FILE program.

To use PFS:FILE, you need a Tandy Model 2000 Personal Computer system with at least 128KB of memory and the MS-DOS operating system. You also need a printer, the PFS:FILE program diskette, and a supply of blank, formatted diskettes.

This manual provides step-by-step instructions on how to get started and how to use each FILE function. Each chapter proceeds through one function in detail. The manual works with the same major example throughout to allow you to use your computer and experience FILE as you are reading about it. The best way to learn FILE is to read the manual and follow along with the examples.

The appendices contain information on error messages and recovery, setting up the FILE program for use with different configurations, estimating how many forms will fit in a file, useful DOS commands, and a summary of special keys and commands. A glossary explains words that may not be familiar to you, and there is an index.

If you have not already done so, please take a moment to complete and mail the User Group Enrollment Card. Enrollment in the PFS User Group entitles you to receive product update information, new product announcements, and tips on using the PFS Family of Software.

Protecting Your PFS Data Files

By the time you have created a PFS file and entered the information in it, you have invested a good deal of your time. To avoid losing the data stored in that file (and the time you've spent entering it), follow these guidelines:

1. Never remove a data diskette or turn the computer system off unless the PFS:FILE Main Menu is displayed on the screen. **IF YOU DO, YOUR FILE MAY BE PERMANENTLY DAMAGED.**
2. Use only high-quality, double-density diskettes.
3. Always keep at least one extra, or "backup" copy of each PFS file. See our backup recommendations below.
4. Handle your diskettes carefully. Store away from heat, sunlight, and devices with strong magnetic fields (TVs, diskette drives, etc.)
5. Print a copy of your files from time to time. See Chapter 5 for instructions.

Recommended Backup Procedure

1. Back up your data files on a regular basis. If you update them daily, then back up daily. If you update less often, then back up whenever you update.
 2. After creating a new data file, make two backup copies. Thereafter, alternate the use of them. The first time you back up, use the first diskette; the next day, use the other diskette; and so on. This way, if a problem develops while making a backup, you will still have the data on the other backup diskette.
 3. Use the DOS COPY command to back up your files (see Appendix D for instructions on how to use COPY).
 4. If you encounter problems with a file or get an I/O ERROR message, discard the diskette at once and use the backup diskette (make a copy of the backup diskette first). If the problem recurs with the backup diskette, ask your computer dealer for help.
-

table of contents

INTRODUCTION

What is PFS:FILE?	I-1
Getting Started with PFS:FILE	I-7
What You Need to Use FILE	I-7
Setting Up FILE to Run with your Computer	I-7
Starting the FILE Program	I-8
The PFS:FILE Main Menu	I-8
Keyboard Control Keys	I-9
PFS File Names	I-11
When You Need Help	I-11
Summary	I-12

DESIGN FILE

Chapter 1

Starting the DESIGN FILE Function	1-1
The Create File Option	1-2
Designing a Form	1-3
Entering Your Design on the Screen	1-5
Multiple Page Forms	1-6
Erasing a Page	1-6
Storing the Form Design	1-7
Leaving the DESIGN FILE Function	1-7
Example of Designing a File	1-7
Summary	1-11

ADD

Chapter 2

Selecting the ADD Function	2-1
Filling in a Form	2-3
Multiple Page Forms	2-4
Correcting Mistakes	2-4
Storing the Filled-in Forms	2-4
Leaving the ADD Function	2-5
Example of Adding to a File	2-5
Printing a Copy of a Single Form	2-10
Summary	2-10

COPY	Chapter 3
Selecting COPY	3-1
The Copy Design Only Option	3-2
Example of Copying the Form Design	3-3
The Copy Selected Forms Option	3-4
Example of Copying Selected Forms	3-6
Splitting a File	3-8
Merging Files	3-9
Leaving the COPY Function	3-9
Summary	3-10
SEARCH/UPDATE	Chapter 4
Selecting SEARCH/UPDATE	4-1
Using Retrieve Specifications	4-2
Starting the Search	4-12
Example of Searching through a File	4-14
Leaving the SEARCH/UPDATE Function	4-18
Summary	4-18
PRINT	Chapter 5
Selecting PRINT	5-1
The Print Forms Option	5-2
Filling in the Retrieve Spec	5-2
Filling in the Print Options	5-3
Filling in the Print Spec	5-5
Example of Printing Mailing Labels from Forms	5-6
The Define Print Spec Option	5-10
Example of Defining and Using a Print Spec	5-11
Changing or Removing a Pre-defined Print Spec	5-14
Reviewing Forms before Printing	5-16
Leaving the PRINT Function	5-16
Summary	5-16
REMOVE	Chapter 6
Selecting the REMOVE Function	6-1
Removing Selected Forms from a File	6-1
Example of Removing Selected Forms	6-3
Removing All Forms from a File	6-5
Leaving the REMOVE Function	6-6
Summary	6-6
SET UP PRINTER	Chapter 7
Selecting SET UP PRINTER	7-1
Entering Characters	7-2
Example of Sending a Control Character	7-2
Sending ASCII Numbers	7-4
Example of Sending an ASCII Number	7-4
Terminating Special Printing Modes	7-5
Leaving SET UP PRINTER	7-5
Summary	7-5

EXIT	Chapter 8
Selecting EXIT	8-1
Summary	8-2
CHANGE DESIGN	Chapter 9
Selecting Change Design	9-1
Using Change Design with a File Containing No Data	9-1
Using Change Design with a File Containing Data	9-1
Example of Changing the Form Design	9-3
Using Change Design to Renumber Forms	9-5
Changing Forms with Multiple Pages	9-6
When the Data Doesn't Fit into the New Design	9-7
Entering Data in Redesigned Forms	9-8
Example of Entering Data in a Redesigned Form	9-8
Leaving the Change Design Option	9-10
Summary	9-10
Appendix A. Messages	A-1
Appendix B. Setting Up the PFS:FILE Program	B-1
Appendix C. Diskette Storage Capacity	C-1
Appendix D. Useful DOS Commands	D-1
Appendix E. Special Control Keys	E-1
Glossary	G-1
Index	



I: *introduction*

This introduction is divided into two parts: The first part is an overview of the PFS:FILE program and how it works. The second part tells you how to get started using PFS:FILE.

What is PFS:FILE?

PFS:FILE is a computer program that you can use to store and retrieve the information you deal with every day. It works with all kinds of information—about people, places, objects, ideas, events. PFS:FILE (or simply FILE) is useful in a wide range of applications, such as business, professional environments, home, and education. FILE organizes and stores information efficiently, providing easy access to any information you want. Retrieval is fast and reliable, and is not limited by the order in which the information is stored.

When you use FILE, your information is kept in forms of your own design. A form can have as much or little structure as you wish. Using the computer keyboard and screen, you design the form you want, save it in a file on a disk, and then use it to store your information.

Here are some examples of the kinds of forms you can design:

Personnel Records

Personnel Record Form			
Employee #:	Hired:		
Name:			
Address:			
City:	State:	Zip:	
Job Title:			
Salary:			

Employee #:	Hired:	
Name:		
Address:		
City:	State:	Zip:
Job Title:		
Salary:		

File: STAFF	FORM 1	Page 1
F2-Print F3-Remove F5-Date F6-Time		F10-Continue

Customer List

CUSTOMERS		
ACCOUNT #:		
NAME:		
ADDRESS:		
CITY:	STATE:	ZIP:
PHONE:		
CREDIT RATING:		
METHOD OF PAYMENT:		
DATE OF LAST PURCHASE:		
PURCHASES:		
COMMENTS:		

Name:	Account #:
Address:	State:
City:	Zip:
Phone:	
Credit Rating:	
Method of Payment:	
Date of Last Purchase:	
Purchases:	
Comments:	

File: CUSTLIST FORM 1 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

Patient Records

AZUKI MEDICAL GROUP 1357 W. SHAW AVE. PETALUMA, CA 93711		
Patient Record		
Soc. Sec. #	565-66-2730	Age 67
Name	Mr. San Miguel	
Address	3199 Frisco Drive	
City	Palo Alto	State CA Zip 94025
Chronic Conditions	Arthritis	
Last Office Visit		
	9/30/78 <i>San Miguel</i>	
	7/16/74 <i>San Miguel</i>	


SSN:	Age:	Date:
Name:		
Address:		
City:	State:	Zip:
Home Phone:		
Business Phone:		
Occupation:		
Insurance:		
Bill To:		
Last Treatment Date:		

File: PATIENTS FORM 1 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

Drug Allergies:
Chronic Conditions:
History:
Treatment Record:

File: PATIENTS FORM 1 Page 2
F2-Print F3-Remove F5-Date F6-Time F10-Continue

After you have designed the blank form, you can recall it to the screen, fill it out with the information you want to keep, and then store the filled-in form back in the file. You can enter data in any order you like and FILE will find the information when you need it. Diskette storage is very compact. Depending on the number of pages there are in the form, how many items there are per page, and how much data is entered in each item, you can store up to 5000 simple forms. See Appendix C, *Diskette Storage Capacity*, to learn how to estimate accurately the number of forms that will fit in a file.



Once you store the information in the file, you can retrieve it in a variety of different ways. Using a retrieve spec form, you indicate what information you want to find by filling in retrieve specifications. You can ask for all items that exactly match a given set of characters:

If the item is a number, the request can be for all items less than, greater than, or equal to a given number:

“find all patients over 65”

The screenshot shows a patient information form with a retrieve specification. The form fields are as follows:

- SS#: []
- Age: >65
- Date: []
- Name: []
- Address: []
- City: []
- Home Phone: []
- Business Phone: []
- State: []
- Zip: []
- Occupation: []
- Insurance: []
- Bill To: []
- Last Treatment Date: []

At the bottom of the form, there is a dashed line and the following text:

File: PATIENTS RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

FILE allows you to enter a retrieve specification for every item in the form. Only those forms meeting all the specifications are found. This feature gives you access to complex relationships between different items of information:

Getting Started with PFS:FILE

This section provides basic information about starting to use the PFS:FILE program. It talks about your computer system, loading the program into your computer, FILE's Main Menu, and the special keys used in FILE.

What You Need to Use FILE

To take full advantage of all the features of the FILE program, you need the following equipment:

- a Tandy Model 2000 Personal Computer, with
 - at least 128K of memory
 - a video monitor
 - two diskette drives
 - a parallel or serial printer, properly connected to your computer
- the PFS:FILE package, including
 - the PFS:FILE program diskette
 - the spare copy of the PFS:FILE program diskette
 - Note: You cannot make a backup copy of the program using the DOS DISKCOPY or COPY commands. Instead, this copy is provided in case something happens to damage your original program diskette. Store it in a safe place.
- blank, high-quality diskettes on which to store information

Setting Up FILE to Run with Your Computer

FILE comes set up to work with a parallel printer, and to automatically use the diskette in drive B as a work diskette to store information temporarily when sorting forms for printing or when changing the design. If you are using a serial printer, or if you want to use a diskette in a different drive as the work diskette, you will need to run the SETUP utility program provided on the FILE program diskette before using the FILE program. See Appendix B for instructions on how to use SETUP.

Starting the FILE Program

Once you have configured FILE to run with your computer system, you can load the program and begin to use it. The procedure for loading the program is slightly different depending on whether or not the computer is turned on:

- if the computer is turned off, insert the FILE diskette and turn on the computer. Enter the date and time when requested, and FILE loads automatically. You hear the diskette drive as the program loads into memory.
- if the computer is turned on, simply exit from whatever program you are using. When the DOS A> prompt appears, type FILE and press the ENTER key. FILE loads immediately into memory.

After loading FILE, remove the program diskette from the drive and put it back in its protective envelope. You won't need it again until you want to exit from FILE.

The PFS:FILE Main Menu

When you load the FILE program, the first thing you see is the FILE Main Menu:

PFS:FILE MAIN MENU

1 DESIGN FILE	5 PRINT
2 ADD	6 REMOVE
3 COPY	7 SET UP PRINTER
4 SEARCH/UPDATE	8 EXIT

SELECTION NUMBER:

FILE NAME:

You see this menu when you first load FILE and whenever you press the ESC key. You use this menu to select the function you want FILE to perform. It consists of a numbered list of the FILE functions, along with two items that you need to fill in:

SELECTION NUMBER: Enter the number corresponding to the function you want to perform (1 selects DESIGN FILE, 5 selects PRINT, etc.) Each time the Main Menu appears, this item is cleared, indicating FILE is ready for you to enter a new selection.

FILE NAME: Enter the name of the file you are going to use. You initially give the file a name when you design it (see Chapter 1). This can be a simple file name, such as STAFF, a drive name and file name, such as B:STAFF, or a complete path name. If no drive is specified, FILE assumes the file is in the default drive (drive A unless you have changed it.)

WARNING

Do not remove the diskette containing your data file from the disk drive unless the FILE Main Menu is displayed on the screen. Removing it at other times may damage the data in the file.

Keyboard Control Keys

The list below shows the special control keys you use most often when working with FILE. Others are explained throughout the manual. They are all summarized in Appendix E.

<u>Key</u>	<u>Function</u>
ESC	Escape. Use this key at any point while using FILE to cancel the current operation and return to the Main Menu.
F10	Continue. Use this key to begin or continue the specified function. (CTRL C is an equivalent keystroke.)
F1	Help. Use this key to display quick reference information appropriate to the function you are performing.

TAB

Tab. The Tab key moves the cursor from one item to the next on a menu or FILE form. With SHIFT, it moves the cursor back to the previous item.

BACKSPACE

Backspace. This key moves the cursor one space to the left and removes any character in that space. Use this key to correct mistakes made when filling in items on the screen.

ENTER

Enter. This key moves the cursor to the beginning of the next line.

PG DN

Next Page. This key brings up the next page of the form, or an attachment page if the page on the screen is the last page of the form. (CTRL N is an equivalent keystroke.)

PG UP

Previous Page. This key recalls the previous page of the form to the screen. You can review it and make changes if you wish. (CTRL P is an equivalent keystroke.)

CTRL

Control. Use this key together with other keys to give special instructions to FILE. For example, when you see CTRL HOME, it means to press CTRL and, while holding it down, press HOME.

CTRL HOME

Erase Page. Use these keys together to clear all entered information from the menu or form, and to move the cursor to the top left-hand corner of the screen. (CTRL E is an equivalent keystroke.)


INSERT

Insert Characters. This key switches back and forth between normal and insert mode. In insert mode (shown by a rectangular cursor,) FILE inserts typed characters at the cursor position, moving other characters on that line to the right to make room. If the line is full, nothing happens.

DELETE

Delete Characters. This key deletes the character at the current cursor location, moving other characters on the line one location to the left to fill up the space.


PFS File Names



You can build PFS files on any DOS-compatible disk device that is connected to your computer system. You will usually store each PFS file on a separate diskette. You can put more than one file on a diskette, but we recommend that you don't, since files tend to get large over time and cannot be continued on another diskette. Before using a diskette for a PFS file, you must format it with the DOS FORMAT command (Appendix D gives directions for formatting diskettes).

To the computer, PFS files look just like other files. The conventions for naming PFS files are the same as for other DOS files. These conventions are briefly summarized below. For a complete description of file naming, see the DOS manual.

A file name usually has two parts: the name of the drive on which the file is stored, and then the name of the file. The two parts are separated with a colon (:). For example, the file name A:STAFF refers to the file named STAFF on the disk in drive A. If you use the name of the file only, e.g., STAFF, FILE assumes the file is on the diskette in the default drive.



File names can be from one to eight characters long. You can use the letters A through Z, the numbers 0 through 9, and some special characters. Here are some sample file names:


TARGET82 SALES PATIENTS

A file name can also have an optional extension of a period and one, two, or three more characters. If a file name has an extension, you must always use the extension with the name in referring to that file. Some file names with extensions are:

TARGET.JAN SALES.PFS CLIENTS.\$\$\$

FILE also recognizes file names that contain volume labels instead of drive names, or complete pathnames that utilize the tree-structured directory capability. See your DOS manual for details.

When You Need Help



Help screens are available when designing a form; when searching through the file; when copying, removing, or printing forms; and when changing the design of an existing file. Simply press F1 and FILE displays quick reference information to help you remember what to do.

Summary

- PFS:FILE is a computer program that helps you store and retrieve information in a way that is familiar, fast, reliable, and powerful.
- Make backup copies of your data files to prevent the loss of valuable data.
- Use only high-quality diskettes.

■ **ESC** cancels the current operation and returns to the Main Menu.

F10 begins or continues the specified function.

F1 displays a help screen when filling in forms to perform FILE's functions.

TAB moves the cursor from one item to the next on a menu or form. With SHIFT, moves to the previous item.

BACKSPACE moves the cursor one space to the left and removes any character in that space.

ENTER moves the cursor to the beginning of the next line.

↑
↓
→
← } move the cursor one space in the direction shown by the arrow. No characters are erased.

PG DN brings up the next page of the form, or an attachment page.

PG UP recalls the previous page of the form to the screen.

CTRL HOME clears all entered information from the menu or form, and moves the cursor to the top left-hand corner of the screen.

INSERT switches between normal and insert mode.

DELETE deletes the character at the current cursor location.

NUM LOCK

switches the numeric keypad to the right of the main keyboard between numbers and the PG UP, PG DN, and END keys.

WARNING

Do not remove the diskette containing your data file from the disk drive unless the FILE Main Menu is displayed on the screen. Removing it at other times may damage the data in the file.



1.8

design file

With the DESIGN FILE function, you create a file for storing your information. You select a diskette to hold your file, give the file a name, design the form, and store this form in the file. Later, you fill in the form with information, and FILE stores that information in the same file.

Starting the DESIGN FILE Function

Start the FILE program according to the directions in the Introduction. When the FILE Main Menu appears on the screen, the cursor is always positioned in SELECTION NUMBER:

PFS:FILE MAIN MENU

1 DESIGN FILE	5 PRINT
2 ADD	6 REMOVE
3 COPY	7 SET UP PRINTER
4 SEARCH/UPDATE	8 EXIT

SELECTION NUMBER:

FILE NAME:

Copyright 1983, SOFTWARE PUBLISHING CORPORATION, Version 01.00.00.
Licensed to Tandy Corporation

F10-Continue

To select the DESIGN FILE function, first enter a 1 in SELECTION NUMBER. Press the TAB key to move the cursor to the FILE NAME item, and enter a name for your file. If you want to store the file on a diskette other than the diskette in the default drive (drive A unless you have changed it), precede the file name with a drive name and a colon (:). For example, to store a file named ORDERS on the disk in drive B, enter B:ORDERS in FILE NAME. (The section titled *PFS File Names* in the Introduction describes the use of drive and file names.)

When you have filled in both items, press the F10 key. The Design File Menu appears next:



The DESIGN FILE function has two options. With Create File, you can design the form for a new file. With Change Design, you can change the design of a form from an existing file, whether or not the file contains data. This second option is discussed in Chapter 9.

The Create File Option

To create a new file, enter a 1 in the SELECTION NUMBER item of the Design File Menu, and press F10. A blank screen appears for you to design the form:

- Decide how to arrange the information you wish to store in your file.
- Choose names that best describe each section of information.
- Determine approximately how much space you should leave for each section of information.

Each section set aside for information (and later the filled-in section) is called an "item". As you are designing your form, keep in mind these important points about items:

- Leave plenty of space for each item. This does not take more space on your diskette and is important because your form is used for both storing and retrieving information. When you use it to retrieve something, the format necessary to retrieve the information may actually require more character positions than the data itself. For example, an item named PAGE may be expected to store a maximum of three digits. If you design your form with only three spaces following PAGE, you cannot ask for all pages less than 100, because the necessary format would look like this: PAGE: <100.
- Make the first item in your form the one you will look for most frequently. This provides the fastest possible retrieval. When FILE is searching for the first item on a form, it can go directly to the desired form in the file. When FILE is searching for other items in the form, it searches through each form in the file from the end of the file forward, which takes longer.
- When FILE prints out information from your files, it prints items in the order in which they appear on the form. Design your form with this in mind. For example, suppose you want to print mailing labels from a file. Your forms must be set up in the order of a standard mailing address (name, address, city, state, zip), or you will not be able to print a mailing label with the items in that order. Note that the items you choose for printing do not have to be adjoining, just in the proper order on the form.
- If you would like to have the same information stored in two different ways for different purposes, set up two items with different names. For example, have a LAST NAME item for searching and sorting customers by last name, and have a NAME item for keeping names in the format you would use in a mailing address.
- Terminate each item name with a colon. Any character entered on the screen during the design process is part of some item name, and the colon identifies characters as item names for the FILE program. For example, suppose the form from the PATIENTS file mentioned in the Introduction looked like this:



```

SS#:                               Age:           Date:
-----
Name:
Address:
City:                               State:       Zip:
Home Phone:
Business Phone:
-----
Occupation:
Insurance:
Bill To:
-----
Last Treatment Date:

-----
File: PATIENTS          DESIGN          Page 1
F1-Help F5-Date F6-Time F10-Continue

```

SS# is an item name, and so are AGE and DATE. The line of dashes inserted between the first and second lines of the form are a part of the NAME item. (Every character entered after the colon ending the DATE item and before the colon ending the NAME item is a part of the NAME item.) Knowing exactly what characters an item name includes is very important if you want to change the design of your form after you enter data in it. Information is not copied unless the item names in both the old design and the new design match exactly (see Chapter 9).

Entering Your Design on the Screen

When you are ready to enter the design for your form on the screen, the following keys allow you to move the cursor to different positions on the screen so that you can enter item names wherever you choose:



moves the cursor back one space.



moves the cursor forward one space.




moves the cursor up one line.



moves the cursor down one line.



moves the cursor to the beginning of the next line.



moves the cursor to the top lefthand corner of the screen.

You can make changes to the item names you enter by typing over them, or by using one of the following keys:

INSERT

switches between normal and insert mode. In insert mode (shown by a rectangular cursor), FILE inserts typed characters at the current cursor location, moving other characters to the right to make room. (This allows you to insert an item to the left of an existing item.) If the line is full, nothing happens.



DELETE

deletes the character at the current cursor location, moving other characters on the line to the left to fill up the space.

Note that each page of the form can contain a maximum of 100 items.

Multiple Page Forms

Your form can consist of more than one page, though the screen can show, at most, only one page at a time. If you need more than one page for a form, you can create up to 31 additional pages. Then you can move back and forth between pages, like turning pages in a book, by using these keys:

PG DN

brings up the next page of the form on the screen. When designing a form, it brings up a blank page. You can continue to enter more item names.



PG UP

recalls the previous page of the form to the screen. You can review it and make changes if you wish.

As you move through your multi-page form, the current page number is displayed in the message area at the bottom of the screen. An asterisk (*) to the right of the page number indicates there are additional pages in the form.

Erasing a Page

You can press the CTRL HOME key to erase the currently displayed page of the form that you are designing. Other pages remain unchanged. Pressing this control key does not remove the page from the form, however, it merely turns it into a blank page. For example, if you design a four-page form and decide to erase page two, you still have a four-page form with a blank page two. To remove the blank page, use the Change Design option (see Chapter 9).



Storing the Form Design

When you are satisfied that your form has all the right items in the right places, you are ready to store it in the file on the disk. To do this, press the F10 key. FILE stores the form and returns to the Main Menu.

FILE is now ready to accept another function selection. The cursor is positioned in SELECTION NUMBER. The FILE NAME remains unchanged, however, because FILE assumes you are working on the same file until you enter a new name.

WARNING

If you press the ESC key while designing a form, that form is not saved in the file. You must press the F10 key to save the form in the file.

Leaving the DESIGN FILE Function

If at any time you want to terminate the DESIGN FILE function, you may do so by pressing the ESC key. If you press ESC while designing a form, however, the form design is not saved and the file is erased from the disk. You must press the F10 key to save the form design in the file.

Example of Designing a File:

By following along with this example, you will create a file to store typical personnel information for six sample employees. The personnel form that you want to duplicate as the form for the file looks like this:

Personnel Record Form		
Employee #:	Hired:	
Name:		
Address:		
City:	State:	Zip:
Job Title:		
Salary:		

To begin designing the file, make sure the Main Menu is on the screen (press ESC, if necessary) and place a blank, formatted diskette (or other diskette with available space) in drive A. The cursor should be in the SELECTION NUMBER item. Type

1

to select DESIGN FILE, press the TAB key to move the cursor to FILE NAME, and type

STAFF

to give the file its name. Your screen should look like this:

```
PFS:FILE MAIN MENU
-----

1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY             7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT
```

```
SELECTION NUMBER: 1
```

```
FILE NAME: STAFF
```

F10-Continue

This file will be created on the disk in drive A, since a drive name is not included as part of the file name. Also, note that you can enter the file name as any combination of uppercase and lowercase letters: STAFF, staff, Staff, etc. MS-DOS™ doesn't distinguish between cases.

Now press the F10 key and the Design File Menu appears. Since you are going to create a new file, type

1

in the SELECTION NUMBER item:

```
DESIGN FILE MENU

1 CREATE FILE
2 CHANGE DESIGN

SELECTION NUMBER: 1

F10-Continue
```

Press F10 again and the following screen appears, ready for you to design the form:

```
-----
File: STAFF          DESIGN          Page 1
F1-Help F5-Date F6-Time          F10-Continue
```

Information about employees is most frequently retrieved by employee number, so the item EMPLOYEE # should be the first item on the form. This speeds up the search process. The cursor should currently be in the top left-hand corner of the screen (press the HOME key if it isn't), so type

Employee #:

as the first item name. Remember to end it with a colon. Then press the right arrow key to move the cursor to the middle of the same line and type

Hired:

Continue moving the cursor with the cursor movement keys and typing item names until the screen looks like this:

A screenshot of a data entry form titled 'PFS:FILE'. The form contains several fields for employee information: Employee #, Name, Address, City, State, Zip, Job Title, and Salary. The 'Hired:' field is positioned above the 'State:' and 'Zip:' fields. At the bottom of the form, there is a dashed line followed by the text 'File: STAFF DESIGN Page 1' and 'F1-Help F5-Date F6-Time F10-Continue'.

When you have entered all of the items on the form, press F10. FILE stores the form on the disk in a new file named STAFF, then returns to the Main Menu:

A screenshot of the 'PFS:FILE MAIN MENU'. The menu is titled 'PFS:FILE MAIN MENU' and is followed by a dashed line. It lists eight options: 1 DESIGN FILE, 2 ADD, 3 COPY, 4 SEARCH/UPDATE, 5 PRINT, 6 REMOVE, 7 SET UP PRINTER, and 8 EXIT. Below the menu, there are two input fields: 'SELECTION NUMBER:' followed by a cursor, and 'FILE NAME:' followed by the text 'STAFF'. At the bottom right of the screen, it says 'F10-Continue'.

Notice that the SELECTION NUMBER item has been cleared—at this point, you can enter another function selection. The FILE NAME item remains the same, since FILE assumes you are working with the same file until you enter a new name.

Summary

- The DESIGN FILE function has two options:
 1. Use Create File to create a new file.
 2. Use Change Design to change the design of the form from a file that already exists (see Chapter 9).
 - A file name (not including volume names, drive names, or extensions) must be between one and eight characters in length.
 - Give each file that you create a different name.
 - The first item in your form should be the one you will look for most frequently.
 - Place a colon at the end of each item name.
 - Leave plenty of space for each item.
 - A page can hold a maximum of 100 items.
 - A form can have a maximum of 32 pages.
 - An asterisk to the right of the page number means there are additional pages in the form.
 - | | |
|-------|--|
| TAB | moves the cursor to the next item on the menu. With SHIFT, moves to the previous item. |
| ← | moves the cursor one space to the left. |
| → | moves the cursor one space to the right. |
| ↑ | moves the cursor up one line. |
| ↓ | moves the cursor down one line. |
| ENTER | moves the cursor to the beginning of the next line. |
-

- HOME** moves the cursor to the top lefthand corner of the page.
- PG DN** brings up the next page of the form.
- PG UP** recalls the previous page of the form.
- CTRL HOME** erases the page displayed on the screen.
- F10** stores the form design and returns to the Main Menu.
- ESC** stops the DESIGN FILE function and returns to the Main Menu. The form is not saved.



2:

add

Once you have created a file, you use the ADD function to store information in it. Using ADD, you fill in a form with the information you want to keep, then store that form in the file. The actual number of forms that will fit in a file depends on the available space on the diskette, the number of pages in the form, the number of items per page, and amount of data entered for each item. Appendix C explains how to calculate the exact number of forms that will fit in a given situation.

Selecting the ADD Function

To select ADD, return to the Main Menu (press ESC, if necessary) and enter a 2 in the SELECTION NUMBER item. If you are adding to a file that you have already been using, the name of that file remains in the FILE NAME item. FILE assumes you are working on the same file until you enter a new name by typing over the old name.

For example, if you have just designed and stored the form for the STAFF file in Chapter 1, your screen should look like this:

```
PFS:FILE MAIN MENU
-----
1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT

SELECTION NUMBER: 2
FILE NAME: STAFF

F10-Continue
```


Filling in a Form

Use the TAB key or SHIFT TAB to move the cursor from item to item when filling out each form. As you are filling in the forms, follow these guidelines:

- If you know that your data will require more than one diskette, presort it into groups according to your needs. For example, if you will want to sort your forms by zip codes, make sure that all forms from one zip code are in the same file; e.g., make sure that all forms with zip codes beginning with 0 are in one file, and all those beginning with 1 are in another, etc.
- Enter last names first to have FILE search your files or sort and print them in alphabetical order by last names. See Chapter 5 for details.
- Enter first names first if you want to keep your files in a standard address format—for printing mailing labels, for example.
- Enter dates in the format yy/mm/dd (year/month/day, with two digits for each part of the date) so FILE can search for them properly. For example, suppose you want FILE to search for forms dated between December 15, 1981 and January 1, 1982. This is the correct format:

= 81/12/15..82/01/01

When searching, FILE ignores the slashes and looks at the dates as numeric values. It sees 811,215..820,101 and can find the forms you want.

FILE can automatically enter the current date in the recommended format. Just move the cursor to the date item and press F5.

- Enter times in a 24-hour format, hh:mm, as in 13:45 for 1:45 p.m. It is necessary that minutes be two digits, but not necessary for hours.

FILE can also enter the time in the recommended format. Just move the cursor to the time item and press F6.

- Enter numbers so that they are all the same length if you want FILE to sort by them. For example, if your highest numbers will be in the thousands, enter 9 as 0009. When sorting, FILE looks at numbers as simple character strings; thus, 1,000 would be sorted before 9 and after 0009.
-

Multiple Page Forms

You can move through a multiple page form using the PG DN key to bring up the next page of the form, and the PG UP key to recall the previous page. You can review the information on previous pages and make changes if you wish. When adding forms, however, you can also use these special keys to add and move through attachment pages.

Attachment pages appear after the last page of your form. You can add attachment pages to a form until you run out of room on the diskette. This feature allows you to append information to any form. If you need to add some special information to a particular form, the information can be entered on an attachment page. If you forgot to include some item when you originally designed a form, however, use the Change Design option of DESIGN FILE to add it (see Chapter 9).

Correcting Mistakes

If you make a mistake while entering data into a form, you can easily correct it. If the mistake is in the same item as the cursor, simply use the BACKSPACE key to erase the last few characters and retype the correct information.

If the mistake is in another item (or on another page), use the TAB key or cursor control keys (or PG DN and PG UP keys) to move the cursor to that item, then overtype with the correct information. You can also use the INSERT key to insert characters, or the DELETE key to delete them.

If you want to re-enter all the items on a particular page, press CTRL HOME. This erases all the information entered on the current page and returns the cursor to the first item. Information on other pages is unaffected and item names are not erased. For example, you might be entering information in a form and suddenly realize that you already entered it.

Storing the Filled-In Forms

When you have entered all your information and are ready to add the filled-in form to your file, press F10. The current form (all pages) is stored in the file. A new form (blank) appears on the screen, with the next form number listed in the message area, and you are ready to fill it in. You can add forms in any order you like—FILE finds the desired information when you need it.

Back up your file frequently when adding forms to it to prevent the loss of information. (See our backup recommendations in *Protecting Your PFS Data Files* which follows the Preface.)

Leaving the ADD Function

You may press ESC at any time to terminate the ADD function, but if you do it before storing your form, the information you entered into that form is not saved. When you finish saving the last form, press ESC to return to the Main Menu. FILE is now ready to accept another function selection.

WARNING

You must complete the ADD function and return to the Main Menu before putting in another data diskette. If you change diskettes while still in the ADD function, you may damage the data on your diskette.

Example of Adding to a File:

Let's add information to the STAFF file. Return to the Main Menu (press ESC, if necessary) and enter a

2

in the SELECTION NUMBER item. If you have been working with the example file, STAFF should remain in FILE NAME. If it does not, enter it. Your screen should look like this:

```
PFS:FILE MAIN MENU
-----

1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT

SELECTION NUMBER: 2
FILE NAME: STAFF

F10-Continue
```

Make sure that the STAFF diskette is in the correct drive and press F10. The form from the STAFF file should appear on the screen, with FORM 1 in the message area. Starting where the cursor positions itself in each item, type in the information contained on the following screen:

Employee #:	09883	Hired:	78/04/15
Name:	Jeff Stribling		
Address:	437 Dak Street		
City:	Palo Alto	State:	CA
		Zip:	94301
Job Title:	Engineer		
Salary:	\$2500.00		

File: STAFF FORM 1 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

Press F10 to store the form in the STAFF file. A new form (FORM 2) should appear on your screen:

Employee #:		Hired:	
Name:			
Address:			
City:		State:	
		Zip:	
Job Title:			
Salary:			

File: STAFF FORM 2 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

Fill in the second form with the information shown here:

Employee #: 16445	Hired: 80/08/12
Name: Jennifer Young	
Address: 2421 Broadway	
City: Boston	State: MA Zip: 02109
Job Title: Salesperson-East	
Salary: \$1950	

File: STAFF FORM 2 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

For this form, there is some additional information to store. Since the STAFF form only contains one page, add an attachment page for this information. Press PG DN and the following screen appears:

Attachment:

File: STAFF FORM 2 Page 2
F2-Print F3-Remove F5-Date F6-Time F10-Continue

FORM 4: Employee #: 13029 Hired: 80/02/01
Name: Mike Cooper
Address: 907 Sunset Court
City: Portland State: OR Zip: 97208
Job Title: Salesperson-West
Salary: \$1900.00

FORM 5: Employee #: 07531 Hired: 77/06/29
Name: Sara Brown
Address: 1552 Bay Road
City: Menlo Park State: CA Zip: 94025
Job Title: Secretary
Salary: \$1200.00

FORM 6: Employee #: 10764 Hired: 79/10/23
Name: John Andrews
Address: 6811 Cypress Lane
City: Dayton State: OH Zip: 45401
Job Title: Salesperson-Midwest
Salary: \$1850.00

After you fill in and save the last form, the following screen should appear:

Employee #:	Hired:	
Name:		
Address:		
City:	State:	Zip:
Job Title:		
Salary:		

File: STAFF FORM 7 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

Now press ESC. FILE returns to the Main Menu, ready to accept another function selection.

Printing a Copy of a Single Form

You can print a copy of a single form when using the ADD function by pressing the F2 key while the form is on the screen. You might want to use this option to print a copy of your blank form, or to print a copy of each form that you fill in and add to an already established file. When FILE displays the print options, press F10 and FILE begins printing the form, using the default values for those options. (See Chapter 5 for a description of the print options.)

Summary

- Use the ADD function to store information in a file.
- You enter data in a file by filling in the form that you designed when you created the file.
- Item names are protected from overwriting.
- Attachment pages allow you to add one or more pages to a particular form.
- Back up your files frequently to prevent the loss of information.
- | |
|-----|
| TAB |
|-----|

 moves the cursor to the next item on the form. With SHIFT, moves to the previous item.
- | |
|------|
| CTRL |
|------|

HOME

 erases all the information entered on the displayed page, but not the item names.
- | |
|-------|
| PG DN |
|-------|

 displays the next page of the form, or an attachment page if the last page is on the screen.
- | |
|-------|
| PG UP |
|-------|

 displays the previous page of the form.
- | |
|----|
| F2 |
|----|

 prints a copy of the displayed form.
- | |
|-----|
| ESC |
|-----|

 returns to the Main Menu. If you press ESC before you store a filled-in form, the information entered into that form will be lost.

WARNING

You must complete the ADD function and return to the Main Menu before putting in another diskette. If you change diskettes while still in the ADD function, you may damage the data on your diskette.



copy

Once you create a file and have information in it, you can copy part of the file or just the form design. Using COPY, you can start a new file with the same form design, split one large file into two smaller files, or merge two files into one.

The COPY function has two options:

- COPY DESIGN ONLY allows you to copy just the form design from the file.
- COPY SELECTED FORMS allows you to choose among the filled-in forms in your file and copy these selected forms to another file. This option does not copy the form design.

Selecting COPY

To select the COPY function, return to the Main Menu (press ESC, if necessary). Enter a 3 in SELECTION NUMBER and the name of the PFS file you want to copy in FILE NAME.

Make sure the file you want to copy is in the default drive. Press F10, and the Copy Function Menu appears:

COPY FUNCTION MENU

- 1 COPY DESIGN ONLY
- 2 COPY SELECTED FORMS

SELECTION NUMBER:

NEW FILE NAME:

F10-Continue

At this point, you can select between the two COPY functions.

The Copy Design Only Option

With Copy Design Only, you can copy just the form design of an existing file to a new file. You use this function when your file becomes full, and you want to start a new file that uses the same form design. You also use it to provide a file with a form design before copying selected filled-in forms to it. Note that the Copy Design Only option destroys any information that exists in the destination file.

To select Copy Design Only, enter a 1 in SELECTION NUMBER on the Copy Function Menu. Put the diskette containing the file from which you want to copy the design in the default drive, and the diskette to which you want to copy the design in another drive (unless, of course, you want to copy the design to a new file on the same drive). Enter a name that is different from the original file name in NEW FILE NAME, and don't forget to use the drive name. Press F10, and FILE copies the design from the original file to a new file that it creates on the specified disk, then returns to the Main Menu.

If you enter the name of an existing file in the NEW FILE NAME item, FILE displays the following message:

THE FILE ALREADY EXISTS

Press ESC to abandon this operation

Press F10 to delete it and continue

If you press ESC, you return to the Main Menu and can start over with another name. If you press F10, FILE replaces the existing file with a new file containing the form design you are copying.

Example of Copying the Form Design:

Let's make a copy of only the form design from the STAFF file. Return to the Main Menu (press ESC, if necessary) and enter a

3

in the SELECTION NUMBER item. If you have been working with the example file, STAFF should still be in FILE NAME. If it is not, enter it. Your screen should look like this:

```
PFS:FILE MAIN MENU
-----
1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT

SELECTION NUMBER: 3
FILE NAME: STAFF

F10-Continue
```

Make sure the STAFF file is in the default drive, and place another diskette in drive B, then press F10. The Copy Function Menu appears. Enter

1

in SELECTION NUMBER and

B:Staff1

in NEW FILE NAME (or another drive name if you want to create the new file on another drive). The screen should look like this:



Press F10 again, and FILE copies the STAFF form design to a new file that it creates on the diskette in drive B, named STAFF1, and returns to the Main Menu. The cursor is positioned in SELECTION NUMBER, and STAFF remains in FILE NAME. FILE is ready to accept another function selection.

The Copy Selected Forms Option

The Copy Selected Forms option allows you to choose among the filled-in forms in your file and copy selected ones to another file. You might want to use this option when a file becomes too large and you want to split it into two files, or you might want to split off a special interest group of forms to a new file. Also, you can use Copy Selected Forms to merge parts of several different files into one new file.

To select Copy Selected Forms, enter a 2 in the SELECTION NUMBER item on the Copy Function Menu. Put the diskette containing the file from which you are copying forms (the source file) in the default drive, and the diskette containing the file to which you are copying forms (the destination file) in another drive.

Selected forms must be copied to an existing file containing a form design. (You can create a new file by copying the form design using Copy Design Only first, or you can copy the selected forms to a partially-full file.) Enter the name of the destination file in NEW FILE NAME (don't forget the drive name).

The layout of the forms from the source file and the destination file need not be identical (the items can be arranged differently), but the item names must be identical in order for information to be copied. For example, if your source file has an item called EMPLOYEE NAME, and the equivalent item in the destination file is called NAME OF EMPLOYEE, the names of the employees will not be copied.

When you fill in the items on the Copy Function Menu and put the diskettes in their proper drives, press F10, and a form from the source file (in the default drive) appears on the screen. Using the STAFF file as an example, the screen looks like this:

Employee #:	Hired:	
Name:		
Address:		
City:	State:	Zip:
Job Title:		
Salary:		

File: STAFF RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

Notice that the message area at the bottom of the screen contains the words RETRIEVE SPEC. When you fill in items on a retrieve spec form, you describe information that you want FILE to find. FILE uses this description to search your file and find the forms you want. In COPY, FILE then copies these forms. If you leave the retrieve spec form blank, FILE copies all the forms. For a complete description of using retrieve spec forms, see Chapter 4.

After entering the information in your retrieve spec form, press F10, and FILE copies the selected forms, renumbering the forms as it copies them. A screen appears telling you how many forms were copied. After you press F10 again, FILE returns to the Main Menu, ready to accept another function selection.

Example of Copying Selected Forms:

Let's copy some forms from STAFF to the file named STAFF1 that you created earlier in this chapter using the Copy Design Only option.

Return to the Main Menu (press ESC, if necessary) and enter

3

in the SELECTION NUMBER item and

Staff

in the FILE NAME item, if necessary. Then press F10. When the Copy Function Menu appears, enter

2

in SELECTION NUMBER and

B:Staff1

in NEW FILE NAME. Your screen should look like this:



F10-Continue

Make sure the diskette containing STAFF is in the default drive, and put the diskette containing STAFF1 in drive B. Press F10, and the retrieve spec form from STAFF (the source file) appears on the screen. You are now ready to indicate which forms you want copied. Suppose you want to create a separate file for your California office, so you want to copy the forms for these employees to STAFF1. Enter

CA

in the STATE item. Your screen should look like this:

```
Employee #:          Hired:
Name:
Address:
City:              State: CA  Zip:
Job Title:
Salary:

-----
File: STAFF          RETRIEVE SPEC          Page 1
F1-Help  F5-Date  F6-Time                    F10-Continue
```

Press F10, and FILE copies the appropriate forms from STAFF to STAFF1. Then, the following screen appears:

Forms Copied: 3

Press F10 to continue

Press F10 again, and FILE returns to the Main Menu.

Splitting a File

When a file has grown in size, you may want to split off part of it to form a new file. Or, you may want to separate a special interest group of forms to a new file.

To split a file, follow these guidelines:

1. Copy the form design (using Copy Design Only) to a new file.
 2. If you change the design of the form in the new file, remember to keep the item names identical (FILE only copies information for items that have identical names).
 3. Use Copy Selected Forms to select and copy the filled-in forms you want into your new file.
 4. Select the REMOVE function from the Main Menu and use the same retrieve specification to delete the copied forms from the original file (see Chapter 6).
-

Merging Files

At some time, you may want to combine two PFS files into one file, or parts of two or more files into one new file. For example, suppose you have two customer files (A to L and M to Z). You want to form a new file containing information for customers that have not made any purchases for the last 3 months. You can copy the form design from your present customer file, or design a new form that uses only some items from the present file. (Items that you do not use are not copied.) Then, you can copy the filled-in forms (and the items) you want into the new file from the other two files.

To merge files, follow these guidelines:

1. Use a file that already has a form design, or create a new file by copying a form design or designing a new form. If you do not want some items to be copied to your new file, do not include the names of those items in the new form design. Make sure that item names are identical for items that you do want copied.
2. Use Copy Selected Forms to select and copy the filled-in forms you want into your new file.
3. Before merging files, make sure you estimate their combined size so that you do not exceed the storage capacity of the diskette used (see Appendix C).

Leaving the COPY Function

If at any time you want to terminate the COPY function, press ESC. If you do so while FILE is copying, however, the destination file receives only the information transferred from the source file before you pressed ESC.

Summary

■ COPY has two options:

1. Use Copy Design Only to copy the form design of a file to a new file.
2. Use Copy Selected Forms to copy selected filled-in forms from a file; this option is particularly useful for splitting or merging files.

■ Items must have identical names to be copied from one file to another, but they do not have to be in the same location on the two forms.

■ Before merging files, estimate their combined size so you will not exceed the storage capacity of the diskette (see Appendix C).

■ Selected forms must be copied to an existing file containing a form design. The file can contain existing forms as well as the design.

■ With Copy Selected Forms, you select forms to be copied based on the filled-in information.

■

ESC

 returns to the Main Menu. The file is copied only to the point where ESC was pressed.



Using Retrieve Specifications

With SEARCH/UPDATE, you describe the forms you want FILE to find by filling in items on the retrieve spec form. The items that you enter on this form are called "retrieve specifications". You can enter a retrieve specification in as many items of the form as you wish. Only those forms in the file meeting all the specifications are found. If no retrieve specifications are entered, FILE retrieves every form in the file.

There are five categories of retrieve specifications: the full item match, partial item matches, numeric item matches, the numeric range match, and the "not" match. The following sections describe these five categories.

1. Full item match

For the fastest possible retrieval, use this type of retrieve specification. If you use a full item match in the first item of your form, any form can be found in 3-5 seconds.

In a full item match, FILE looks for forms on which the characters in an item exactly match the characters that you entered in the same item on the retrieve spec. (A character can be a letter, a number, or a punctuation mark.) To determine whether there is a match, FILE uses the following rules:

- FILE ignores spaces before the first character and after the last character.
- FILE treats multiple spaces within the items as a single space.
- FILE ignores the difference between upper and lower case.

For example, suppose you want to recall the John Andrews form of the STAFF file to the screen. If you enter this retrieve specification,



2. Partial item matches

Use a partial item match if you do not remember exactly how an item of information is entered in a file, or if you want to find occurrences of specific pieces of information in your files. There are two kinds of partial item matches: the `..match..` and the `? match`.

The `..match..` uses either two or four dots with a word or group of words (number or group of numbers) to search for an occurrence of certain information within an item. It works like this:

- `..Word` tells FILE to ignore whatever characters occur before Word.
- `Word..` tells FILE to ignore whatever characters occur after Word.
- `..Word..` tells FILE to ignore whatever characters occur before or after Word; i.e., to look for Word anywhere in the item.
- `..` tells FILE to find all forms with any characters in this item.

For example, suppose you want to recall Jeff Stribling's personnel form to the screen. Jeff's full name is Jeffrey Stribling, Jr. and you don't know exactly how the name was entered in the file. Using the `..match..`, there are three ways you can find Jeff's form. If you enter this retrieve specification,

The screenshot shows a personnel form retrieval interface. The form fields are as follows:

Employee #:	Hired:
Name: Jeff..	
Address:	State:
City:	Zip:
Job Title:	
Salary:	

At the bottom of the screen, there is a dashed line and the following text:

File: STAFF RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

NAME: Jeff will be a match.
NAME: JEFF STRIBLING will be a match.
NAME: Jeffrey Stribling Jr. will be a match.
NAME: Jeff Warner will be a match.
NAME: Mr. Jeff Stribling will not be a match.

If you enter this retrieve specification,

Employee #: Hired:

Name: ..Stribling
Address:
City: State: Zip:

Job Title:
Salary:

File: STAFF RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

NAME: Mr. Stribling will be a match.
NAME: J. STRIBLING will be a match.
NAME: Mr. Jeff Stribling will be a match.
NAME: Sara Stribling will be a match.
NAME: Jeff Stribling Jr. will not be a match.

Attachment: ..Europe..

File: STAFF RETRIEVE SPEC Page 2
F1-Help F5-Date F6-Time F10-Continue

both of the following will match:

ATTACHMENT: Has had two years of European experience.

ATTACHMENT: Worked in Europe for two years.

The ? match uses the question mark as a "wild-card" character to search for items that are almost an exact match. This symbol can be entered in the retrieve spec form to represent any single character. When FILE searches, it accepts any character in that same position as a match.

For example, suppose the second digit of a part number indicates its color and you want to retrieve all forms for a certain part regardless of its color:

PART NUMBER: 3?711

will retrieve all forms listing the part.

As another example, suppose you know that there are two people in the STAFF file who were hired in June of 1977, and you want to find their forms. You would use the following retrieve specifications:

Employee #:	Hired:	77/06/??
Name:		
Address:		
City:	State:	Zip:
Job Title:		
Salary:		

File: STAFF RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

3. Numeric item matches

There are two ways to use numbers as information. One way is to use the number as a set of characters that identifies an item. In this case, the number has no numeric value—one number is not typically thought of as larger or smaller than any other. Phone numbers, part numbers, and social security numbers are examples of numbers used as identifiers. FILE treats the numbers as it would treat a word or any string of identifying letters. You use either a full item match or one of the partial item matches to look for such a number.

For example, if you want to search through the STAFF file for employee number 13029, the retrieve specification would look like this:

```
Employee #: 13029      Hired:
Name:
Address:
City:      State:      Zip:
Job Title:
Salary:

-----
File: STAFF      RETRIEVE SPEC      Page 1
F1-Help F5-Date F6-Time      F10-Continue
```

The other way is to use the number to represent a numeric value—something that has a meaning of larger or smaller associated with it. Numbers associated with quantity or cost are examples of numbers used to represent arithmetic values. When searching through forms for such a number, it is possible to look for all items less than, greater than, or equal to that given number. The retrieve specification consists of one of three special symbols (<, >, and =) followed by the desired number. In determining the value of a number, FILE uses the following rules:

- FILE ignores all characters other than -,.,0,1,2,3,4,5, 6,7,8,9. (Be sure to use the number 1 rather than lower case l, and the number 0 not the letter o.)
- A minus sign (-) appearing before the first digit or after the last makes the value negative. FILE ignores multiple minus signs.
- If FILE encounters multiple decimal points (.), it ignores all but the first.

Below are some examples of how FILE assigns an arithmetic value to a number which follows one of these symbols (<, >, or =):

Item	Value	
\$1,706.22	1706.22	FILE ignores the \$ and ,
13 MAY 1980	131980	FILE ignores MAY
70-06-29	700629	to be negative, a minus sign must appear before the first digit or after the last. (This is a convenient way to numerically represent dates.)
20:45	2045	FILE ignores the colon. (This is a convenient way to numerically represent times.)
FIVE	0	FILE ignores letters. If no digits are found, the value is zero.

For example, suppose you want to search through the STAFF file for all the employees with salaries greater than \$2000.00. The retrieve specification should look like this:

Employee #:	Hired:
Name:	
Address:	
City:	State: Zip:
Job Title:	
Salary: p2000.00	

File: STAFF	RETRIEVE SPEC	Page 1
F1-Help F5-Date F6-Time		F10-Continue

4. Numeric Range Match

The numeric range match allows you to search for numeric values within a certain range. To do this, use an equals sign followed by the lowest of the numeric values, two dots, and then the highest numeric value. The dot-dot with the equals sign means “through”.

For example, to find all the employees in the STAFF file hired between January 1, 1978 and December 31, 1979, the retrieve specification should look like this:

```
Employee #:          Hired: =78/01/01..79/12/31
Name:
Address:
City:              State:      Zip:
Job Title:
Salary:

-----
File: STAFF          RETRIEVE SPEC          Page 1
F1-Help  F5-Date  F6-Time          F10-Continue
```

NOTE: You can put spaces anywhere except between the dots.

5. The “Not” Match

Any of the different types of retrieve specifications can have its intent reversed by preceding it with a slash (/). For example,

- `/=3.1` Finds all those values which are NOT equal to 3.1.
- `/JOHN` Finds all those items that are NOT "JOHN".
- `/B..` Finds all those items that do NOT begin with "B".
- `/..er` Finds all those items that do NOT end with "er".
- `/=31..100` Finds all those items less than 31 or greater than 100.
- `/..` Finds all those items that are blank.

For example, suppose you want to search through the STAFF file for all employees with salaries less than \$1500.00 or more than \$2000.00. The retrieve specification would look like this:

```
Employee #:          Hired:
Name:
Address:
City:              State:      Zip:
Job Title:
Salary: /=1500..2000


-----
File: STAFF          RETRIEVE SPEC          Page 1
F1-Help  F5-Date  F6-Time          F10-Continue
```

Starting the Search

When you have entered all retrieve specifications, press F10, and FILE searches for the desired forms, starting with the most recent form added. While FILE is searching, the screen is blank except for the message area at the bottom where the form numbers change as FILE checks each form in the file.

When FILE finds a form meeting the retrieve specifications, it displays it on the screen and pauses. You can do any of the following:

1. Update the Form.



You can make any changes to information stored in the form by positioning the cursor in the item you want to change and entering new information. Then, press F10, and FILE stores the updated form in the file and continues its search.


2. Review the Form.

You can browse through the form, using the PG DN and PG UP keys if you have multiple pages. When you finish, press F10 and FILE continues its search.

3. Print the Form.

You can print the form (all pages) by pressing F2. After reviewing a form, press F2, and the print options form appears. Press F10, and FILE prints a copy of the form, using the default values in the print options. (See Chapter 5 for a description of the print options.)

4. Remove the Form.



You can remove the form (all pages) from the file by pressing F3. Before the form is removed, the following screen appears:

CURRENT FORM ABOUT TO BE REMOVED

Press SPACE to keep the form

Press F10 to remove the form

If you do not want to remove this form (you may have pressed F3 by mistake), press the space bar, and FILE returns the form to the screen. If you want to remove the form, press F10, and FILE removes the form and continues its search. (See Chapter 6 for other removal capabilities.)

Example of Searching through a File:

Suppose you want to search through the STAFF file for all employees in sales with salaries more than \$1850.00. There are two items you are interested in: JOB TITLE and SALARY.

First, return to the Main Menu (press ESC or load the program if necessary) and enter

4

in SELECTION NUMBER. If you have been working with the example file, STAFF should remain in FILE NAME. If it does not, enter it. Your screen should look like this:

PFS:FILE MAIN MENU

- | | |
|-----------------|------------------|
| 1 DESIGN FILE | 5 PRINT |
| 2 ADD | 6 REMOVE |
| 3 COPY | 7 SET UP PRINTER |
| 4 SEARCH/UPDATE | 8 EXIT |

SELECTION NUMBER: 4

FILE NAME: STAFF

F10-Continue

Press the F10 key, and the retrieve spec from STAFF appears on your screen. Use the TAB key to move the cursor to the JOB TITLE item. Since you want any person in sales, enter

Sales..

and FILE will ignore any characters after the word sales when searching. Move the cursor to the SALARY item, and enter

>1850.00

Your screen should look like this:

```
Employee #:          Hired:
Name:
Address:
City:              State:      Zip:
Job Title: Sales..
Salary: >1850.00

-----
File: STAFF          RETRIEVE SPEC          Page 1
F1-Help F5-Date F6-Time          F10-Continue
```

Press F10 again, and FILE begins searching. There are two employees in sales who earn more than \$1,850.00. As the first of the forms is found, FILE displays it:

```
Employee #: 13029           Hired: 80/02/01

Name: Mike Cooper
Address: 907 Sunset Court
City: Portland           State: OR   Zip: 97208

Job Title: Salesperson-West
Salary: $1900.00

-----
File: STAFF           FORM 4           Page 1
F2-Print R3-Remove F5-Date F6-Time   F10-Continue
```

Assume there is an error in the date that Mike Cooper was hired. It should be FEB 7, not FEB 1. You can update it here. Press TAB to move the cursor to the HIRED item, then press the right arrow key seven times to move the cursor over to the 1 without destroying any of the correct characters. Type

7

to change the date, then press F10. The updated form is stored, and FILE continues its search.

The next form that meets the retrieve specification appears:

Employee #: 16445 Hired: 80/06/12

Name: Jennifer Young
Address: 2421 Broadway
City: Boston State: MA Zip: 02109

Job Title: Salesperson-East
Salary: \$1950

File: STAFF FORM 2 Page 1*
F2-Print F3-Remove F5-Date F6-Time F10-Continue

The asterisk (*) after the page number indicates there are more pages in this form. To see the second page, press the PG DN key. After you review this form, press F10, and the following screen appears:

Forms Found: 2

Press F10 to continue

Press F10 once more, and FILE returns to the Main Menu. The cursor is positioned in SELECTION NUMBER, and STAFF remains in FILE NAME. FILE is ready to accept another function selection.

Leaving the SEARCH/UPDATE Function

You can terminate SEARCH/UPDATE at any time by pressing ESC. FILE returns to the Main Menu. If you are updating a form when you press ESC, however, the changes to the form may not be recorded in the file.

In SEARCH/UPDATE, any changes you make to a form are actually written in the file when the updated page disappears from the screen; that is, when you press either PG DN, PG UP, or F10. If you make changes to a form, but press ESC before the page disappears, those updates are not written in the file.

Summary

- Use the SEARCH/UPDATE function to search through files, find desired forms, and display them on the screen.
- You tell FILE what forms you want to find by filling in a form called a retrieve spec.
- FILE can search for forms based on retrieve specifications you enter in any combination of items on any page of the retrieve spec form.
- Retrieve specifications must be constructed as follows:

characters (letters or numbers)	FULL ITEM MATCH
..characters	PARTIAL ITEM MATCH-ignore beginning
characters..	ignore end
..characters..	ignore both
..	matches any filled-in item
?	matches any single non-blank character
<number	NUMERIC ITEM MATCH-less than
>number	greater than
=number	equal to

=number1..number2

NUMERIC RANGE MATCH-inclusive

/retrieve spec

NOT MATCH-not equal to retrieve spec

/..

matches blank items

- For fastest possible retrieval, use a full item match in the first item of your form.
 - If no retrieve specifications are entered, FILE finds and displays every form in the file.
 - To update a form, enter any changes when the form is found. Then press F10 to store the changes and search for the next form.
 - | |
|----|
| F2 |
|----|

 prints a copy of the displayed form.
 - | |
|----|
| F3 |
|----|

 removes the displayed form from the file.
 - | |
|-----|
| ESC |
|-----|

 returns to the Main Menu. Any updates not yet saved are lost.
-



5

print

FILE gives you the ability to print selected forms or portions of forms from a PFS file according to a format that you specify. (This format might include printing the forms in sorted order; for example, in alphabetical order for an item called CITY.) You can also store a format for printing to use at a later time.

With the PRINT function, you indicate which forms you are interested in, which items of the form you are interested in, and how you want these items printed. FILE searches through the file, automatically printing all selected information.

Selecting PRINT

To select PRINT, return to the Main Menu (press ESC, if necessary). Enter a 5 in SELECTION NUMBER and the name of your file in FILE NAME.

Check to make sure the diskette containing your file is in the correct drive. Then press F10, and the Print Menu appears:

PRINT MENU

- 1 PRINT FORMS
- 2 DEFINE PRINT SPEC

SELECTION NUMBER:

F10-Continue

At this point, you can select from the two PRINT options: Print Forms and Define Print Spec.

PRINT OPTIONS

PRE-DEFINED PRINT SPEC:

PRINT ITEM NAMES (Y/N): Y

PRINT TO: PRN:

NUMBER OF COPIES: 1

LINES PER PAGE: 66

PAUSE BETWEEN PAGES (Y/N): N

F10-Continue

Filling in the Print Options

This screen appears whenever FILE is about to start printing something. It allows you to control the format. Type the desired value for each option over the default value shown on the screen, or press F10 to print your form using the default values.

PRE-DEFINED PRINT SPEC: (Optional) If you previously defined a print specification and stored it, you can enter its name here, and FILE begins printing immediately using this specification. If you do not have a pre-defined print specification, leave this item blank.

PRINT ITEM NAMES (Y/N): This item specifies whether or not the item names are to be printed along with the information in the items. If you do not want the item names printed, type N over the Y.

PRINT TO: This item allows you to choose the device to which the output is sent. Enter PRN: for a parallel printer, AUX: for a serial printer, or the name of a disk file.

NUMBER OF COPIES: This specifies how many copies FILE prints of each form. If you specify more than one copy, FILE prints all copies of the first form, then all copies of the second form, etc.

Filling in the Print Spec

On the print spec form, you choose which items you want to print and how you want to arrange them (on the same line, or different lines, etc.). If you leave this form blank, each form is printed exactly as it appears on the screen, using the print options you just selected. To select items for printing, use these two characters:

- X print this item, then advance the printer to the next line.
- + print this item, but do not advance the printer to the next line after printing it—skip 2 spaces instead. (This allows you to print more than one item per line.)

In addition, you can print the forms in a particular order by combining the following character with the X or the +:

- S sort the printout based on this item. Using the first ten characters in this item, FILE sorts the printout into ascending order. You can sort on one item only.

Letter sorts: If FILE sorts an item that consists of letters, the forms are printed out in alphabetical order according to that item. For example, if you place an S next to an X or a + in the CITY item of your STAFF file, the forms are printed out alphabetically by city. The CITY item does not appear first on the forms, however; the items in each form are always printed in the order in which they appear on the screen.

Number sorts: FILE treats numbers as character strings for the purposes of sorting. Just as AZ is sorted before Z, 19 will be sorted before 9. For this reason, sorting the printout into numerical sequence is not feasible unless all the numbers are the same length, as with zip codes. To sort numbers of different lengths, enter zeros to the left of the numbers to make them the same length. For example, 09 will be sorted before 19 not after.

NOTE: Remember, an S does not automatically cause an item to be printed. It must be used with an X or a +.

Example of Printing Mailing Labels from Forms:

Let's use the PRINT function to generate mailing labels for everyone in the STAFF file.

To begin, return to the Main Menu (press ESC, if necessary), and enter

5

in the SELECTION NUMBER item. If you have been working with the example file, STAFF should still be in FILE NAME. If it is not, enter it. Your screen should look like this:

```
PFS:FILE MAIN MENU
-----
1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT

SELECTION NUMBER: 5
FILE NAME: STAFF

F10-Continue
```

Press F10, and the Print Menu appears. Enter

1

in SELECTION NUMBER. Your screen should look like this:

PRINT MENU


- 1 PRINT FORMS
- 2 DEFINE PRINT SPEC

SELECTION NUMBER: 1

F10-Continue

Press F10 again, and the retrieve spec appears. Since you want a label for each employee in the file, leave the retrieve spec blank. Press F10, and FILE displays the print options for you to fill in. (The options show the current default values.)

To select the desired print options, press TAB and skip the PRE-DEFINED PRINT SPEC item. Then move the cursor to the PRINT ITEM NAMES item. Since you would not want item names on mailing labels, change the Y to N. Press TAB again, and enter the device name for your printer. Move to the next item. At this point, you need to determine the spacing between the mailing labels and make sure the labels are properly inserted in the printer. (If you have questions about loading paper or mailing labels, refer to the printer manual or see your dealer.) To determine the proper spacing, count the number of lines between the top of one mailing label and the top of the next. This is the number you want to enter in the LINES PER PAGE item.



For the mailing labels in this example, there are 6 lines from the start of one label to the start of the next. Type

6

and a space to write over the default value of 66. Leave NUMBER OF COPIES and PAUSE BETWEEN PAGES as they are, unless you want to print more than one copy. Your screen should look like this:



```
PRINT OPTIONS
Pre-Defined Print Spec:
Print Item Names (Y/N): N
Print To: PRN:
Number of Copies: 1
Lines Per Page: 6
Pause Between Pages (Y/N): N
```

When you finish entering your print options, press F10, and the print spec form appears. The items that you want to select for printing your mailing labels are NAME, ADDRESS, CITY, STATE, and ZIP. Use the TAB key to move the cursor to NAME and enter

X

Also enter

X

in ADDRESS. The CITY and STATE items each receive a + sign to put them on the same line. Move the cursor to ZIP and enter

SX

(The mailing labels will be sorted by zip codes.) When you are finished, the print spec form looks like this:

A terminal window showing a print specification form. The form has several fields with labels and values. At the bottom, there is a dashed line and footer information including file name, function keys, and page number.

```
Employee #:          Hired:
Name: X
Address: X
City: *
Job Title:
Salary:
State: +          Zip: SX

-----
File: STAFF          PRINT SPEC          Page 1
F1-Help F5-Date F6-Time          F10-Continue
```

Press F10 again, and FILE prints the mailing labels. They look like this:

Three mailing labels are shown, each in a rectangular box with circular punch holes on the left and right sides. The labels contain the following information:

```
○ Jennifer Young ○
  2421 Broadway ○
  Boston MA 02109 ○

○ John Andrews ○
  6811 Cypress Lane ○
  Dayton OH 45401 ○

○ Anne Williams ○
  67 Westlake Dr. ○
  Los Altos CA 94022 ○
```

After the last form is printed, the following message appears:



Press F10 one more time. FILE returns to the Main Menu, ready to accept another function selection.

The Define Print Spec Option

The Define Print Spec option allows you to specify the way you want to print forms from a particular file, give a name to that set of specifications, and repeatedly use the specifications to print forms by simply referencing the name. You can store eight print specs in a file at one time.

To select Define Print Spec, enter a 2 in the SELECTION NUMBER item on the Print Menu and press F10. The following screen appears:

CURRENT PRE-DEFINED PRINT SPECS

(None)

PRINT SPEC NAME:

F10-Continue

Enter a name (one to ten characters) for the print specification that you want to define. Press F10, and a print spec form from your file appears. Indicate the items you want printed by filling them in with an X or a +. Also, enter an S if you want to sort your printout.

When you finish, press F10. The print specification and its name are stored in the file to use for future printings. FILE then returns to the Main Menu, ready for a new function selection.

Example of Defining and Using a Print Spec:

Let's define a print specification for doing mailing labels and call it MAILABEL.

First, return to the Main Menu (press ESC, if necessary) and enter

5

in SELECTION NUMBER. Enter

STAFF

in the FILE NAME item, if necessary. Press F10, and the Print Menu appears. Enter

2

in SELECTION NUMBER and press F10 again.

The screen indicating the current pre-defined print specs appears. Enter Mailabel in the PRINT SPEC NAME item, as shown below:

```

CURRENT PRE-DEFINED PRINT SPECS

      (None)

PRINT SPEC NAME: MAILABEL

F10-Continue

```

Press F10, and the print spec form from your STAFF file appears. Indicate the items you want printed by filling in this form to look like this:

```

Employee #:      Hired:

Name: X
Address: X
City: +

State: +      Zip: SX

Job Title:
Salary:

-----
File: STAFF      PRINT SPEC 'Mailabel'      Page 1
F1-Help F2-Print F3-Remove F5-Date F6-Time      F10-Continue

```

Press F10 one more time, and the print specification and its name are stored in the STAFF file to use for future printings. FILE returns to the Main Menu.

Now let's try using MAILABEL. You are in the Main Menu, so enter a

5

in SELECTION NUMBER and press F10 to return to the Print Menu. Enter a

1

to select the Print Forms option, and press F10. When the retrieve spec form appears, again press F10 since you want all the forms in the file. The print options form appears next. Enter

MAILABEL

in the PRE-DEFINED PRINT SPEC item. The other items on the form should already be correct, providing you have not restarted the program, since the changes you entered in the print options are still stored in FILE:

```
PRINT OPTIONS
PRE-DEFINED PRINT SPEC: MAILABEL
PRINT ITEM NAMES (Y/N): N
PRINT TO: PRN:
NUMBER OF COPIES: 1
LINES PER PAGE: 6
PAUSE BETWEEN PAGES (Y/N): N
F10-Continue
```

Press F10, and FILE immediately begins printing the mailing labels, without displaying the print spec form, since the print specifications are defined by MAILABEL. After it finishes, the following message appears:



Press F10 again, and FILE returns to the Main Menu. The cursor is positioned in SELECTION NUMBER and STAFF remains in FILE NAME. FILE is ready for another function selection.

Changing or Removing a Pre-Defined Print Spec

To change or remove a pre-defined print spec, you select Define Print Spec from the Print Menu. The screen that displays the names of any print specs that you have already designed appears:

CURRENT PRE-DEFINED PRINT SPECS

MAILABEL

PRINT SPEC NAME :

F10-Continue

To change a pre-defined print spec, enter its name in the PRINT SPEC NAME item. Press F10, and FILE displays the stored print specifications on the screen. You can make changes by typing over any entries on the form, or you can press CTRL HOME to erase all the entries on that page of the print spec and start over.

To remove the print spec from the file, enter its name in the PRINT SPEC NAME item. Press F10, and when FILE displays the stored print specifications on the screen, press F3. A warning screen appears, giving you an opportunity to change your mind:

CURRENT PRINT SPEC ABOUT TO BE REMOVED

Press SPACE to keep the print spec

Press F10 to remove the print spec

If you change your mind and want to keep the print spec, press the space bar. The print spec appears on the screen again. Now press F10, and FILE returns to the Main Menu. The print spec remains in your file.

If you want to remove the print spec, press F10. FILE removes the print spec from your file and returns to the Main Menu.

Reviewing Forms before Printing

If you wish to review each form before printing it, use the SEARCH/UPDATE function (see Chapter 4). When printing with SEARCH/UPDATE, all items on the form are printed, unless you have pre-defined a print spec that selects certain items, and have entered that print spec name in the print options form. In that case, only the selected items will be printed.

Leaving the PRINT Function

If at any time you want to terminate the PRINT function, press ESC to return to the Main Menu. If you press ESC while FILE is in the middle of printing a form, it finishes printing that form before it leaves the function.

Summary

- Use the PRINT function to copy some or all of your information to a printer or disk file.
 - PRINT has two options:
 1. Use Print Forms to print a copy of all or part of a form.
 2. Use Define Print Spec to create a set of print specifications and store them for repeated use (maximum eight print specs per file).
 - To print a form, follow these three steps:
 1. Fill in the retrieve spec form to tell FILE which forms in the file you want printed. (See Chapter 4 for a detailed description of retrieve specifications.)
 2. Fill in the print options form to tell FILE how you want the information printed. If you enter the name of a pre-defined print spec in the print options form, the print spec form (step 3) does not appear.
-

3. Fill in the print spec form to tell FILE which items in the form to print, whether to put items on the same or a different line, or whether to sort the forms according to a certain item.

- Use these characters to fill in the print spec form:

X print this item and advance the printer to the next line.

+ print this item but do not advance the printer to the next line - skip 2 spaces instead.

S sort printout based on this item.

- If you do not enter any print specifications, FILE prints forms just as they appear on the screen.
 - FILE always prints items in the same relative order in which they appear on the form.
 - To review a form before printing it, use the SEARCH/UPDATE function with the F2 option.
 - | |
|----|
| F3 |
|----|

 removes the currently displayed pre-defined print spec
 - | |
|-----|
| ESC |
|-----|

 returns to the Main Menu after FILE finishes printing the form it is currently printing.
-



62

remove

With the REMOVE function, you can delete forms you no longer need from your file. You indicate which forms you no longer want, and then FILE searches through the file, automatically removing all appropriate forms. (If you want to see each form before it is removed, use the SEARCH/UPDATE function and the F3 key, as explained in Chapter 4.)


Selecting the REMOVE Function

To select the REMOVE function, return to the Main Menu (press ESC, if necessary). Enter a 6 in SELECTION NUMBER and the name of the file from which you want to remove forms in FILE NAME.

Make sure the diskette containing the file is inserted in the drive indicated in the file name. Press F10, and a retrieve spec form from this file appears on the screen.

Removing Selected Forms from a File

You are now ready to indicate which forms you want to remove from the file by filling in the retrieve spec form with retrieve specifications. (See Chapter 4 for a detailed description of retrieve specifications.) When all retrieve specifications are entered, press F10. Removing a form involves erasing information from your file. Before FILE removes any forms, it displays the following screen, giving you the opportunity to change your mind:



You have two choices here. If you press ESC, FILE returns to the Main Menu. No forms are removed. If you press F10, FILE removes all forms meeting your retrieve specifications, displaying each form as it removes it. After the last form is removed, FILE displays the following message, indicating the number of forms that have been removed:



Press F10 again. FILE returns to the Main Menu, ready to accept another function selection.

Once a form is removed, the disk space previously occupied by the form is automatically re-used as soon as FILE stores another form. However, the form number is never used again. If you want to renumber the remaining forms in your file so they are numbered consecutively, use the Change Design option of DESIGN FILE (see Chapter 9).

Example of Removing Selected Forms:

Let's suppose you have created a separate file for the Ohio sales office, and now you want to remove any Ohio employees from the STAFF file. First, return to the Main Menu (press ESC, if necessary) and enter

6

in SELECTION NUMBER. Enter

Staff

in the FILE NAME item, if necessary, and make sure the diskette containing STAFF is in the default drive. Your screen should look like this:

```
                PFS:FILE MAIN MENU
                -----
1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT
```

```
SELECTION NUMBER: 6
```

```
FILE NAME: STAFF
```

F10-Continue

Press F10, and the retrieve spec form from STAFF appears on your screen. Using the TAB key, move the cursor to the STATE item. Enter OH to identify which employee forms you want to remove. The screen should look like this:

```
Employee #:          Hired:
Name:
Address:
City:              State: OH      Zip:
Job Title:
Salary:

-----
File: STAFF          RETRIEVE SPEC          Page 1
F1-Help  F5-Date  F6-Time                F10-Continue
```

Press F10, and FILE displays the following screen, giving you the opportunity to change your mind before it removes any forms:

```
SELECTED FORMS ABOUT TO BE REMOVED

Press ESC to abandon this operation
Press F10 to continue
```

Press F10 again to proceed with the function, and FILE removes all forms with OH in the STATE item. When it finishes, FILE displays the following message:

Forms Removed: 1

Press F10 to continue

Now press F10 one more time, and FILE returns to the Main Menu.

Removing All Forms from a File

If you want to remove all the forms from a file, leave the retrieve spec blank. Press F10, and the following message appears:

WARNING

ALL FORMS ARE ABOUT TO BE REMOVED

Press ESC to abandon this operation

Press F10 to continue

If you change your mind at this point, press ESC to return to the Main Menu. Otherwise, press F10, and FILE removes all the filled-in forms, leaving only the form design.

Note that even if you remove all the forms from a file, the file remains on the disk, occupying as much space empty as it did when full. To remove the file, exit from PFS:FILE and use the DOS ERASE command.

Leaving the REMOVE Function

If at any time you want to terminate the REMOVE function, press ESC, and FILE returns to the Main Menu. If you press ESC while FILE is in the middle of removing a form, it finishes removing that form before returning to the Main Menu.

Summary

- Use the REMOVE function to remove any unwanted forms from a file.
- Indicate which forms you want to remove by filling in a retrieve spec form with retrieve specifications.
- To remove all forms from a file, leave the retrieve spec form blank.
- If you want to see each form before it is removed, use SEARCH/UPDATE and the F3 key (see Chapter 4).

ESC

returns to the Main Menu after FILE finishes with the form it is currently removing.

7: *set up printer*

You use the SET UP PRINTER function to send special characters or codes to your printer to initiate or terminate special printing modes. For example, you might want to print your forms in condensed or bold type, if your printer supports these special modes.

If your printer supports any special printing modes, they will be listed in the Operations Manual for the printer. Typically, the manual either instructs you to send special characters (such as ESC CTRL-T) or the ASCII number that corresponds to those characters (such as the number 15). The SET UP PRINTER function accommodates both characters and ASCII numbers.

Selecting SET UP PRINTER

First, return to the Main Menu (press ESC if necessary), and enter a 7 in SELECTION NUMBER. You do not need to enter a file name in the FILE NAME item. The screen looks like this:

The screenshot shows a terminal window with the following content:

```
PFS:FILE MAIN MENU
-----

1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY             7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT

SELECTION NUMBER: 7
FILE NAME:

F10-Continue
```

Press F10, and FILE displays an instruction screen with an area for you to enter the characters or ASCII numbers that you want to send to your printer.

Entering Characters

To enter a character, simply press the key on the keyboard that corresponds to the desired character. FILE echoes the character on the screen, so you can verify that you pressed the correct key. If you need to enter a control character, such as CTRL-B, press CTRL and, while holding it down, press B. The cursor automatically moves to the next line on the screen as soon as you press a key. To send several characters in a row, just press the keys in the correct sequence. When you have entered all the characters, press F10 to store the characters and return to the Main Menu. FILE sends the stored characters to the printer just prior to printing forms the next time.

NOTE: FILE sends the characters to the default printer or the printer whose name you entered last in the PRINT TO item of the print options screen.

If you should enter a wrong character by mistake, press F6 to return to the Main Menu without storing any characters, then start again.

Example of Sending a Control Character:

For example, let's send the characters necessary to set the DMP-500 into condensed mode. The required character sequence is ESC, then CTRL-T. First, return to the Main Menu (press ESC, if necessary) and enter

7

for SELECTION NUMBER. Press F10, and FILE displays the instruction screen, with a colon next to which you enter the first character. That screen looks like this:

Enter any special characters that you want to send to your printer. You can enter up to 20 characters. Press F10 to send the entered characters. If you make a mistake, press F6 and start again.

█

Now, to enter the ESC character, just press the ESC key. Then, to enter the CTRL-T, press the CTRL key and, while holding it down, press T. Notice that FILE echoes the characters on the screen:

Enter any special characters that you want to send to your printer. You can enter up to 20 characters. Press F10 to send the entered characters. If you make a mistake, press F6 and start again.

█ Escape
█ Ctrl-T

Since those are the only characters needed for this example, press F10, and FILE stores the characters and returns to the Main Menu.

Sending ASCII Numbers

If your printer manual lists ASCII (decimal) numbers rather than control characters, you can enter those instead. Just precede the number with a left parenthesis, (, and press ENTER to indicate the end of the number. If you wish, you can enter a combination of control characters and ASCII numbers.

Example of Sending an ASCII Number:

Let's send the ASCII numbers that correspond to ESC CTRL-T, again setting the DMP-500 into condensed type. Return to the Main Menu and select SET UP PRINTER as before. When the instruction screen appears, type a

(

then type

27

(the ASCII number corresponding to ESC), and press ENTER. Repeat that sequence but this time type

20

(the ASCII number corresponding to CTRL-T) instead. Notice that, for each number, FILE places parentheses around the number to remind you that it is an ASCII number:

Enter any special characters that you want to send to your printer. You can enter up to 20 characters. Press F10 to send the entered characters. If you make a mistake, press F6 and start again.

```
(27)
(20)
```

Terminating Special Printing Modes

To terminate a special printing mode, you can either send the character or ASCII number that turns off the printing mode or, more simply, just turn your printer off and back on.

Leaving SET UP PRINTER

You can leave the SET UP PRINTER function at any time to return to the Main Menu by pressing F6. However, any characters or ASCII numbers that you have entered will not be stored and later sent. To store the characters, you must press F10 to complete the function.

Summary

- SET UP PRINTER allows you to send special characters or the corresponding ASCII number to your printer to initiate or terminate special printing modes.
 - To enter a character, press the corresponding key.
 - To enter an ASCII number, type a left parenthesis, then type the number. Press ENTER after typing the number.
-





exit

When you are finished using the FILE program, or when you want to leave FILE to perform DOS commands, you use the EXIT function.

Selecting EXIT

To select EXIT, return to the Main Menu (press ESC, if necessary) and enter 8 in the SELECTION NUMBER item. You need not enter a file name in the FILE NAME item. The screen should look like this:

```
PFS:FILE MAIN MENU
-----
1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY             7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT
```

```
SELECTION NUMBER: 8
```

```
FILE NAME:
```

F10-Continue

Press F10 and the screen clears. If the message "Insert disk with batch file" appears, insert the program diskette and strike any key. You are now out of the FILE program and under MS-DOS control. The DOS prompt appears on the screen.

To avoid wearing out the FILE diskette, you can at this point insert a DOS diskette to perform any commands you wish. (See Appendix D for instructions on the DOS commands you are most likely to use while using FILE.)

To return to the FILE program after using DOS, you would insert the FILE program diskette in drive A again, type FILE, and press the ENTER key. You could also insert PFS:REPORT or another program diskette, simply type in the name of the new program, and press ENTER.

Summary

- EXIT allows you to leave the FILE program and return to DOS.
- You do not need any entry in the FILE NAME item of the Main Menu when you select EXIT.
- To return to the FILE program from DOS, simply type FILE when the DOS prompt is on the screen and press ENTER.





change design

After you have created and used your file, you may want to redesign the form to suit your needs better. With the Change Design option of the DESIGN FILE function, you can add more items, delete some items, or rearrange the items on your form, whether your file is empty or contains data. Always be sure to make a backup copy of your file before beginning.

Selecting Change Design

To select Change Design, return to the FILE Main Menu (press ESC, if necessary). First, enter a 1 in SELECTION NUMBER to select DESIGN FILE. Then, enter the name of your file in FILE NAME, and make sure the diskette containing your file is in drive A. Press F10, and the Design File Menu appears. Enter a 2 in the SELECTION NUMBER item on this menu to select Change Design.

Using Change Design with a File Containing No Data




If your file does not contain data, simply insert the diskette that contains it in the specified drive. When you select Change Design from the Design File Menu and press F10, the form appears immediately for you to edit.

The item names are no longer in inverse video and protected from overwriting. You can type in new items, delete items by typing spaces over them, or move items by removing them from their original locations and typing them into new locations. Using the cursor control keys (see Appendix E) to move the cursor around the screen, make all the desired changes in the form. Press F10, and FILE stores the redesigned form in the file and returns to the Main Menu.

Using Change Design with a File Containing Data

When you change the design of a form from a file that contains data, FILE assumes that it will find temporary work space on the disk in drive B. If you want to use a disk other than the one in drive B for this temporary work space, run the SETUP utility program found on the FILE program diskette (see Appendix B for instructions).

When changing the design of a form from a file that contains data, there are several things you need to know:

1. First make a backup copy of your file (use the DOS COPY command) in case you change your mind later, or inadvertently damage the file during the redesign process. 
2. Insert a blank, formatted diskette in drive B for FILE to use as temporary storage space during the Change Design process.
3. The item names in the old and new designs of the form must match exactly in order for the data to be copied. If they do not, FILE does not transfer the data belonging to the item to the redesigned form, and that data is permanently lost. For example, if the NAME item on the patient's form mentioned in Chapter 1 is moved to a new location during the redesign process, the line of dashes which is a part of the item name must also be moved, or the data belonging to that item will not be transferred. (FILE ignores leading and trailing blanks when matching names, and treats more than one blank between words as a single blank. See Chapter 1 for a complete explanation of item names.)
4. You can move items to different places on the form, without affecting the data for those items (as long as the names match exactly). 
5. The redesigned form can have more or fewer items than the original form. When you delete items from the form, however, the data for those items is not copied. It is permanently lost from the file.
6. Leave enough space for the information in the item on the original form to fit into the item on the redesigned form. (See *When the Data Doesn't Fit into the New Design* in this chapter.)
7. Only four pages (maximum) can be redesigned at one time. (See *Changing Forms with Multiple Pages* in this chapter.)
8. It may take a long time for FILE to reorganize your files. Depending on the complexity of the file and the amount of data in it, the reorganization can take from 5 minutes to a few hours.
9. The forms in your file are renumbered in reverse order during the redesign process. 

After you select Change Design from the Design File Menu and press F10, the following screen appears:

W A R N I N G

THE CONTENTS OF THE FILE WILL
BE CHANGED BY THIS OPERATION. MAKE
A BACKUP OF THE FILE BEFORE CONTINUING

Press ESC to abandon this operation

Press F10 to continue

If you press ESC, FILE returns to the Main Menu. To continue, insert a diskette in drive B and press F10. FILE continues with the Change Design process and displays the form from your file as you originally designed it. The item names are no longer in inverse video and protected from overwriting. You can type in new items, delete items by typing spaces over them, or move items by removing them from their original locations and typing them into new locations (you must type the item names exactly as they originally appeared). Use the cursor control keys (see Appendix E) to move the cursor around the screen.

When you have made all the desired changes, press F10 and FILE changes the design on all the filled-in forms, briefly showing each form in its original format. FILE then stores all the changes in the file and returns to the Main Menu, ready for another function selection.

Example of Changing the Form Design:

Let's change the STAFF form to include an EXPERIENCE item and to delete the SALARY item. Before you begin, make a backup copy of STAFF, if you have not already done so. You might also want to enter another form for John Andrews, since you deleted his form while using the REMOVE function.


First return to the Main Menu (press ESC, if necessary) and enter

1

in the SELECTION NUMBER item. Enter

Staff

in the FILE NAME item, if necessary, and make sure the diskette containing STAFF is in drive A. Your screen should look like this:



Press F10, and the Design File Menu appears. Enter


2

in the SELECTION NUMBER item. Press F10 and, when the warning screen appears, insert a diskette with available space in drive B and press F10 again. FILE displays the form from the STAFF file as you originally designed it:

Changing Forms with Multiple Pages

You can change only four pages of a multiple-page form at any one time. Thus, if you want to change six pages, you have to change four of them first, complete the Change Design function, then repeat the operation for the other two pages.

When transferring data, FILE looks for the item name first on the equivalent page of the new form, then on the other pages consecutively, so the data is transferred regardless of the page the item appears on. For example, in the redesign shown in the diagram below, the data in ITEM 3 now appears on the second page of the new form, while the data in ITEM 1 and ITEM 2 remains on the first page.



Using Change Design to Remove a Blank Page

When designing or redesigning a form, if you remove all the item names from a page, the page (now blank) continues to exist. To remove the blank page, use Change Design and retype the items from pages following the blank page so they fill up the empty space. (If the blank page is the last page in the form, FILE removes it automatically during the Change Design process.)

When the Data Doesn't Fit into the New Design

When transferring data from the original form to the redesigned form, if the information in an item does not fit into the space for that item on the redesigned form, FILE stops and displays the following message:

PROBLEM

AN ITEM IS TOO LONG

Press ESC to abandon this operation

Press F10 to continue

You have two choices. If only one form has an item that is too long, it is probably better to shorten the information in that item so that it fits in the new design (or, if the form is not vital to the new file, delete it).

If you press F10, the form with the overlong data item appears with the cursor located at the first character that does not fit into the redesigned form. You can then edit the information in the overlong item. When you finish, press F10 again to continue transferring data.

If many of the forms in the file have an item that is too long for the redesigned form, you might want to cancel the operation and redesign the form again to accommodate the data. When you press ESC, you return to the Main Menu. FILE does not save the redesigned form. The file remains in its original state, and you must begin again.

Entering Data in Redesigned Forms

You can use the SEARCH/UPDATE function to enter information in an item that you added to a form in the redesign process.

After entering SEARCH/UPDATE, leave the retrieve spec form blank so that FILE retrieves every form in the file. As each form appears on the screen, enter the new information into the new item and press F10 to store the updated form in the file.

Repeat this procedure until every form in the file has been updated. After you store the last form, FILE displays a screen to tell you how many forms it found. Press F10 one more time. FILE returns to the Main Menu, ready for another function selection.

Example of Entering Data in a Redesigned Form:

Let's add information in the EXPERIENCE item you added when you redesigned the form for the STAFF file.

First, return to the Main Menu (press ESC, if necessary) and enter a

4

in SELECTION NUMBER. Since you just redesigned your STAFF form, STAFF should still be in FILE NAME, and the diskette containing STAFF should still be in drive A. Press F10, and the retrieve spec from STAFF appears:

Employee #: Hired:

Name:
Address:
City: State: Zip:

Job Title:
Experience:

File: STAFF RETRIEVE SPEC Page 1
F1-Help F5-Date F6-Time F10-Continue

Since you have information to enter in the EXPERIENCE item of each STAFF form, you want to leave the retrieve spec blank. Press F10 again, and the first of your STAFF forms appears on the screen. Use TAB to move the cursor to the EXPERIENCE item, and enter the appropriate information from the list below. After you finish with each form, press F10, and the next form appears. Continue entering information until you have updated all the forms.

NAME	EXPERIENCE
Jeff Stribling	Metal fusion
Jennifer Young	Electronic parts, International Sales
Anne Williams	Division Management
Mike Cooper	Machine tools
Sara Brown	Executive
John Andrews	Computer terminals, time sharing

When you finish the last form and press F10, the following screen appears:

Forms Found: 6

Press F10 to continue

Press F10 one more time, and FILE returns to the Main Menu.

Leaving the Change Design Option

If at any time you want to terminate the Change Design option, press ESC to return to the Main Menu. If you press ESC, however, FILE does not save the redesigned form. The form remains in its original state.

Summary

- Use the Change Design option to change the design of the form from a file.
- You can change the form of an empty file or of a file that contains data.
- If changing the form of a file that contains data, remember these guidelines:
 1. Make a backup copy before you change the form.
 2. Insert a formatted diskette in drive B for FILE to use for temporary work space. (To use another drive for this work space, run the SETUP program to change the work drive from drive B.)
 3. Item names in the redesigned form must match exactly the item names in the original form, but can be in different places on the forms.
 4. Leave enough space for the information in an item on the original form to fit into the item on the redesigned form, or edit the information to fit.
 5. Only four pages of a multiple-page form can be changed at one time.
 6. Forms are renumbered in reverse order.

ESC

returns to the Main Menu. FILE does not save the redesigned form. The form remains in its original state.

appendix

Messages

FILE displays a message whenever it encounters an error condition. Certain errors are the result of mistakes made when you enter information (filling in the Main Menu items, PRINT or COPY functions, or retrieve specifications). These messages are displayed in the message area at the bottom of the screen:

```
PFS:FILE MAIN MENU
-----

1 DESIGN FILE      5 PRINT
2 ADD              6 REMOVE
3 COPY            7 SET UP PRINTER
4 SEARCH/UPDATE   8 EXIT
```

```
SELECTION NUMBER: 4
```

```
FILE NAME: Sample
```

```
CAN'T FIND FILE
```

F10-Continue

Other errors are the result of physical limitations or problems with certain elements of your computer system. These messages are displayed on a separate screen that looks like this:

PROBLEM

SEARCH LIST TOO LONG

Press ESC to return to Main Menu

(See manual Appendix A)

When you encounter one of these messages, simply locate the message in the following list and follow the instructions in the Corrective Action column. To restart normal FILE operation, press ESC. Following is the list of FILE error messages, arranged in alphabetical order:

MESSAGE	DESCRIPTION	CORRECTIVE ACTION
BAD FILE NAME	You entered an illegal file name.	Make sure the file name begins with a letter and does not contain spaces (see the Introduction or your MODEL 2000 Owner's Manual for details.)
CAN'T FIND FILE	FILE searches for files in the default drive unless you include the drive name as part of the file name.	Check to make sure you entered the name of the file correctly in the FILE NAME item. If the file you want to use is in a drive other than the default drive, the file name must be preceded by a drive name. Also make sure the diskette that contains the file is in the correct drive.

MESSAGE	DESCRIPTION	CORRECTIVE ACTION
CAN'T FIND FILE (Continued)	The disk in the drive is not formatted.	Format the diskette before attempting to use it.
	The file name you entered is not the name of a file created by PFS:FILE.	Enter the name of a PFS file and try again.
CAN'T FIND PRINT SPEC	There is no pre-defined print spec with that name.	Check to make sure you entered the name correctly.
DIRECTORY IS FULL	You have too many files in the directory on the diskette.	If you have some unnecessary files in the directory, use the DOS ERASE command to remove them. Or, use another directory or disk.
DISK IS FULL	FILE attempted to write some information on a diskette and found that there was no room left.	If you have some unnecessary forms in the file, you can create some space by removing them (see Chapter 6). If the diskette has an unneeded file, you could use the DOS COPY command to copy it to another diskette, or remove it using the DOS ERASE command.
		You can also use the COPY function to copy the form design from the current file to a second file, then continue adding information to that new file.
DISK IS WRITE- PROTECTED	FILE cannot use diskettes that are write-protected. FILE uses certain areas of the diskette to store temporary information, even when you select a retrieve function.	Remove the write-protect tab. To protect the data that could now be over-written, use the DOS COPY command to make a backup copy of your file.

MESSAGE	DESCRIPTION	CORRECTIVE ACTION
DISK HAS BEEN CHANGED	The diskette containing the PFS file has been removed from the drive.	Re-insert the diskette with the PFS file.
DRIVE ISN'T READY	The disk drive door is open.	Close the door.
FILE CAN'T PRINT TO THE CONSOLE	You have entered CON: on the print option form in the PRINT TO item.	Either use the default PRN:, which sends the output to a parallel printer, enter AUX: to send the output to a serial printer, or enter the name of a diskette file (see Chapter 5).
INVALID SELECTION NUMBER	You entered a number for the SELECTION NUMBER item of a menu that is invalid.	Re-enter a number that is shown on the menu.
I/O ERROR	There is a physical problem with either the disk drive, the disk controller, or the diskette. Some possible causes are: Disk drive door open. Malfunction. Diskette inserted incorrectly. Worn out diskettes.	Close the door. DO NOT USE THIS DISKETTE AGAIN. Make a copy of your backup disk, then use that copy. If I/O ERROR persists, take the disk drive to your dealer for testing. Remove the disk, then re-insert it properly. After 40-50 hours of use, the diskette may need replacing. Try using a different diskette.

MESSAGE	DESCRIPTION	CORRECTIVE ACTION
MUST GIVE A FILE NAME	You have left the FILE NAME item of the Main Menu blank. Every FILE function, except EXIT and SET UP PRINTER, requires a file name in this item.	Enter the name of the file you want to use.
MUST GIVE A PRINT SPEC NAME	You have tried to define or modify a pre-defined print specification but have not entered a name.	Enter a new name or one of the names listed on the screen.
NEW FILE MUST HAVE A DIFFERENT NAME	The NEW FILE NAME item of the COPY Function Menu contains the same name as the FILE NAME item of the Main Menu.	Re-enter a different file name.
ONLY 4 PAGES CAN BE CHANGED	You have tried to change the form design on more than four pages of the form at one time.	Complete the Change Design process for no more than four pages of a form design at one time. Repeat the process for each additional four pages.
ONLY 8 PRINT SPECS ARE ALLOWED	You have already defined eight print specs for the file.	Remove one of the print specs, then define the new one.
PRINT SPECS CAN HAVE ONLY 10 CHARACTERS	You entered a name that is longer than 10 characters.	Re-enter a name with 1 to 10 characters.
PRINTER ISN'T READY	FILE cannot access the printer you named in the PRINT TO item.	Check to make sure your printer is plugged in, turned on, on-line, and has paper.
SEARCH LIST TOO LONG	The retrieve specifications will not fit in FILE's internal storage area.	Specify fewer requests in the retrieve specifications.



IBM

appendix

Setting Up the PFS:FILE Program

Sometimes you will need to give FILE special instructions, depending on the exact configuration of your computer system. These special instructions fall into two categories:

- selecting a work drive
- configuring FILE to work with a serial printer

The FILE program diskette includes a utility program, SETUP, that you can use as needed to give FILE these special instructions. This appendix describes this program.

Starting the SETUP Program

To use the SETUP Program, insert the FILE program diskette in drive A, and exit from whatever program you have been using. When the DOS prompt appears on the screen, type SETUP and press the ENTER key. The following menu is displayed:

```
1  SELECT A WORK DRIVE
2  SET SERIAL CARD PARAMETERS
3  EXIT THIS PROGRAM
```

```
SELECTION NUMBER:
```

Selecting the Work Drive

When you change the design of a form that contains data, or when you sort forms while printing, FILE needs temporary workspace at least as large as the size of the file. Unless you indicate otherwise by selecting another drive with this function, FILE assumes that the diskette in drive B is to be used for this purpose. If you want to use another drive, select this function before starting FILE.

To change the work drive, enter 1 for SELECTION NUMBER and press ENTER to continue. SETUP asks you for the name of the drive you want to use:

Type a letter corresponding to the drive you
want to use as a work drive.

Drive name:

Enter the drive name and press ENTER to return to the SETUP Menu.

Using a Serial Printer

If you have a serial printer, you will need to give information about its settings before FILE can print correctly to that printer. SETUP stores the information on the FILE program diskette and FILE uses it whenever you choose the PRINT function. If you change to a different serial printer, run SETUP again to enter the new information.

To set up your serial printer, enter 2 for SELECTION NUMBER and press ENTER to continue. SETUP displays the following prompts, one at a time:

Baud Rate:
Parity (Odd/Even/None):
Byte Length (7 or 8):
Number of Stop Bits (1 or 2):
XON/XOFF Protocol (Y or N):

Enter the following information:

Baud Rate: Enter the baud rate setting for your
printer.

Check your printer manual for the correct values for the other prompts.

When you have entered the correct information, press ENTER to return to the SETUP Menu.

Leaving the SETUP Program

When you have finished with the appropriate SETUP functions, enter 3 in SELECTION NUMBER and press ENTER to exit from the SETUP program and return to DOS.





appendix

Diskette Storage Capacity

A standard diskette can hold up to 5000 very simple forms, assuming there is only one file on the diskette. The actual number depends on how many pages there are in the form, how many items there are per page, and how much data is entered in each item. For example, the form for an average mailing list would only allow about 2500 forms on one diskette, assuming the PFS file was the only file on the diskette.

A file is divided into blocks of 128 bytes (characters) per block. Some of these are used to store the form design, directory information and other internal FILE data structures. 5000 of these 128-byte blocks are used to store data on a standard diskette.

Each page of every form stored in a PFS file uses at least one 128-byte block, even if the page is blank. The actual number of forms that you can fit into one of your files is a function of how much data is entered in each individual form.

Use the following rules to estimate how many bytes are used by a page of a form:

- FILE uses the first 14 bytes of every page.
- Each item name entered on a page takes 5 bytes (FILE internal parameters).
- Each character entered in an item takes one byte.
- Each blank space in a filled-in item takes one byte, but no blanks are counted at the beginning or end of an item.
- A string of 3 or more blanks inside a filled-in item takes 3 bytes.

Example: NAME: Jeff Stribling 1970
 Length = 5 +4+1 +9 +3 +4 = 26 characters

- A blank item takes 6 bytes (5 for the FILE internal parameters plus 1 blank character).

After figuring the total number of bytes used by each page of a form, use these steps to estimate how many forms will fit in a file:

1. Divide the total number of bytes for a page by 128.
2. Round up to the next largest whole number. (This gives you the number of 128-byte blocks used by the page.)
3. Add the number of blocks for all pages of the form to give you the total number of blocks required for an average form.
4. Divide 5000 by the total number of blocks required by one form to arrive at the approximate number of forms you can fit on your diskette.

It is necessary to figure page by page because FILE uses space on a per-page basis. For example, if you use 30 bytes on a page, FILE assigns 128 bytes to that page in that file, and those 98 empty bytes are not used anywhere else. Estimating an entire form at once, instead of each page individually, will cause you to think that you have more empty space in your file than you actually do.

Example:

Let's figure the number of bytes used by the following example of a telephone directory form:

Name: Michael Badaqliacca
Home Phone: 408-258-0841
Business Phone:
Address: 19502 Foot Hill Ave
City: San Jose State: CA Zip: 95132

File: PHONE# FORM 1 Page 1
F2-Print F3-Remove F5-Date F6-Time F10-Continue

14—FILE uses the first 14 bytes on a page

35—7 items using 5 bytes each (FILE internal parameters)

19—Michael Badagliacca = 18 characters, 1 space

12—408-258-0841 = 12 characters, 0 spaces

1—BUSINESS PHONE: empty item = 1 space

18—19502 Foot Hill Av = 15 characters, 3 spaces

8—San Jose = 7 characters, 1 space

2—CA = 2 characters, 0 spaces

5—95132 = 5 characters, 0 spaces

114 TOTAL number of bytes used by this completed form

114 / 128 = .89 Step 1. The total number of bytes for the page divided by 128.

.89 = 1 Step 2. Round .89 up to the next largest whole number, which is 1.

1 Step 3. Since this form has only one page, there is nothing to add to the 1. This form will require one storage block.

5000/1 = 5000 Step 4. Since one form requires only one storage block, you can probably fit 5000 of these forms in one file.

If you put more than one PFS file on a diskette, they will compete with each other for space until the diskette is full. When a file is initially built, it takes 128 blocks of 128 bytes each, for a total of 16384 bytes. When that space is used, it takes space 64 blocks at a time, as it needs more room. To find out how much space is available on a diskette:

1. Insert the DOS diskette in drive A, and the diskette that contains your PFS file in drive B.
2. Exit from PFS:FILE. When the DOS prompt appears, type

CHKDSK B:

and press the ENTER key.

DOS displays a summary of how many files currently exist on the diskette, the space occupied by those files, and the amount of free space available in bytes.





appendix

Useful DOS Commands

This appendix describes briefly how to issue four different DOS commands that you might find useful when working with the FILE program. These commands are:

- FORMAT for preparing diskettes for use
- DIR for listing the files on a disk
- ERASE for removing a file from a diskette
- COPY for copying a file from one disk to another (backing up a file)

For a detailed description of these commands, see your DOS manual.

Formatting Diskettes

You must format new diskettes before they can be used in the computer. Formatting makes magnetic tracks on a diskette so that the computer system can write data to it and read data from it. We recommend formatting a supply of diskettes at one time and marking them on the label so you know they have been formatted.

To format a diskette while using FILE, follow these steps:

1. Insert the program diskette in the default drive (probably drive A), and exit from PFS:FILE.
2. Insert the diskette that you want to format in the other drive (drive B).
3. When the DOS prompt appears, type

FORMAT B:

and press the ENTER key.

4. When DOS displays the message

Insert disk for drive B and
Strike any key when ready

strike any key.

5. When DOS displays the message

Formatting Complete
Format another (Y/N)?

you can go on to format another diskette, or answer N to return to the DOS prompt.

Listing Files

The DIR command gives you a listing of the files stored on your diskettes. The list of file names includes any extension that you assigned to each file name, the date the file was last accessed, and its size in bytes.

To list your files while using FILE, follow these steps:

1. Insert the program diskette in the default drive, and exit from PFS:FILE.
2. Insert the diskette whose files you want to list in a drive, type the command

DIR *drivename*


and press the ENTER key. DOS displays your files, in the order in which they were stored on the diskette. For example, to list the files on the diskette in drive B, type the command

DIR B:

and press the ENTER key.

The DOS prompt appears below the last entry in the list. At this point, you may enter another command, reload FILE, or run another program.

Erasing Files




If you use the PFS:FILE REMOVE function to delete all the forms from a PFS file, the empty file still remains on the diskette, as large as it was when filled with the maximum number of forms. The DOS ERASE command completely removes unwanted files from a diskette and frees the space previously used by that file. To remove a file while using the FILE program, follow these steps:

1. Insert the program diskette in the default drive and exit from PFS:FILE.
2. Replace the program diskette with the diskette containing the file you want to erase, type

ERASE *filename*

and press the ENTER key. Be sure to include the drive name if the file you want to erase is not in the default drive. For example,

ERASE STAFF



removes the file named STAFF from the disk in the default drive. On the other hand, the command

ERASE B:STAFF


removes the file named STAFF from the disk in drive B.

3. When DOS has erased the file, the DOS prompt reappears. You can issue another command, reload FILE, or run another program.

Copying (Backing Up) a File

It is important to use the COPY command to make at least two backup copies of each PFS file on a regular basis, just in case you damage or lose the original. See our backup recommendations in *Protecting Your Files*, which follows the Preface.

To copy a file, follow these steps:

- 
1. Insert the program diskette in drive A and exit from FILE.
 2. When the DOS prompt reappears, remove the program diskette and insert the diskette that contains the file you want to copy. Insert the diskette to which you want to copy the file in drive B.
-

3. Type the command

COPY *filename* B:

and press the ENTER key. If you want the file to have a different name on the new disk, enter that name after the B:. For example, to copy a file named SALES from the disk in drive A to the disk in drive B, you would type

COPY SALES B:

and press the ENTER key. The file named SALES would be copied onto the disk in drive B; the new file would also be named SALES.





appendix

Special Control Keys

Cursor Control Keys



Move the cursor to the left one space.



Move the cursor to the right one space.



Move the cursor up one line.



Move the cursor down one line.



Move the cursor to the beginning of the next line.



Move the cursor forward to the next item on the form or menu.



Move the cursor back to the previous item on the form or menu.


FILE Control Keys




Display a help screen appropriate to the function you are performing.



Begin or continue with the specified function.



Display the next page of the form.



Display the previous page of the form.



Erase all entries from the currently displayed page.



Print the currently displayed form (all pages).



Remove the currently displayed form.



Enter the current date at the current cursor location.



Enter the current time at the current cursor location.

ESC

Return to the FILE Main Menu.


INSERT

Switches between normal and insert mode. When in insert mode, a typed character is inserted at the cursor location, moving other characters on the line one location to the right to make room.

DELETE

Delete the character at the cursor location.





glossary

- byte the space taken up by one character in a computer's memory or in a diskette storage area.
- character a letter, number, or symbol
- cursor a marker on the screen, in the form of a blinking rectangle or an underline character, that indicates where the next character typed will appear.
- default value a value that is automatically assigned to something if no other value is chosen to replace it.
- disk/diskette a removable magnetic recording media used to store information. Diskettes can contain programs (the PFS:FILE program diskette) or data (your PFS files). Diskettes should be treated with care.
- file a collection of forms that are of the same type. (In FILE, it is the form you design, along with all the forms that you fill in with data.)
- form any combination of items arranged in a chosen order, and created to store information about one particular thing, person, or subject area. (In FILE, you design a form then use it to store and retrieve information. Forms are kept in a file.)
- format the general layout or arrangement of something, such as the design of a form.
- inverse video the reverse of the normal display of characters on the computer video monitor. Usually, characters are light on a dark background. In inverse video, the characters are dark on a light background.
- item the basic element of a form. An item consists of a name and a colon, highlighted on the screen (in inverse video), and followed by an area where information is entered.

- load the process of transferring a program from a diskette into the computer's memory.
- menu the list of functions that you can choose at a given time. (The Main Menu appears when you first load the FILE program.)
- write-protect to prevent a diskette from being written on. A diskette is write-protected by placing an adhesive tab over the small notch on its side.



control characters 7-2
data in redesigned
 forms 9-8
dates 2-3
design 1-5
numbers 2-3
times 2-3
ENTER key I-10, 1-5
"equal to" match I-5, 4-9
ERASE command (DOS) 6-6,
 D-1, D-3
erase page I-10, 1-6
error messages A-1
ESC key I-9, 1-7, 2-5, 3-9, 4-18,
 5-16, 6-6, 9-7, 9-10
exact (full item) match 4-2
examples
 of adding to a file 2-5
 of calculating disk space
 required C-2
 of changing the form design .. 9-3
 of copying selected forms 3-6
 of copying the form design 3-3
 of defining and using a print
 spec 5-11
 of designing a file 1-7
 of entering data in redesigned
 forms 9-8
 of printing mailing labels 5-6
 of removing selected forms ... 6-3
 of searching through a file ... 4-14
 of sending a control character . 7-2
 of sending an ASCII number .. 7-4
EXIT function 8-1

F

F1 key I-9, I-11
F2 key 4-13
F3 key 4-13
F5 key 2-3
F6 key 2-3, 7-4
F10 key I-9
fastest retrieval 1-4, 4-2
file G-1
file name I-9, I-11
 extension I-11

item I-9
fill in
 data in form 2-1, 2-3
 print options form 5-3
 print spec form 5-5
 retrieve spec form 5-2
form G-1
 blank I-3
 filled-in I-3
 layout 3-5
 print spec 5-4
 retrieve spec I-3, 4-1
FORMAT command (DOS) D-1
formatting diskettes I-11, D-1
full item match 4-2
function keys 1-3

G

getting started I-7
greater than match I-5, 4-9
guidelines
 for changing design 9-2
 for designing a form 1-3
 for merging files 3-9
 for splitting a file 3-8

H

Help key I-9, I-11
highlighted items 2-2
HOME key 1-5

I

insert characters I-10, 1-6, 2-4
INSERT key I-10, 1-6, 2-4
inverse video G-1
item C-1
item names 1-4, 9-2, C-1

J/K

keyboard I-9

L

less than match I-5, 4-9
LINES PER PAGE item 5-4
list files D-1
load FILE I-8
lowercase letters 1-8

M

mailing labels 1-4, 2-3, 5-11
 Main Menu I-8
 maximum
 number of pages 1-6
 pages redesigned 9-2
 number of print specs 5-10
 memory requirements I-7
 menu G-2
 merge files 3-1, 3-9
 message area 1-3
 messages A-1
 minus sign 4-9
 move items 9-2
 move cursor 1-5
 MS-DOS 1-8
 multiple page forms 1-6, 2-4

N

negative values 4-9
 next page I-10, 1-6
 "not" match 4-11
 NUMBER OF COPIES item 5-3
 numeric item match 4-8
 numeric range match 4-11

O

order
 alphabetical 2-3
 print 1-4
 search 4-12

P

page number 1-3
 parallel printer 5-3
 partial item matches 4-4
 pathnames I-9, I-11
 PAUSE BETWEEN PAGES item . 5-4
 PG DN/PG UP keys ... I-10, 1-6, 2-4
 PRE-DEFINED PRINT
 SPEC item 5-3
 presort data 2-3
 previous page I-10, 1-6
 print
 copy of single form 2-10
 envelopes 5-4

form 4-13
 format 5-3
 modes 7-1
 options 5-3
 order 5-5
 portion of forms
 screen I-10
 specifications 5-3
 to a disk file 5-3
 Print Forms option 5-1, 5-2
 PRINT function 5-1
 PRINT ITEM NAMES item 5-3
 print options form 4-13, 5-3
 print spec form 5-4
 PRINT TO item 5-3
 protected items 2-2

Q

question mark match 4-7
 quick reference
 information I-11, E-1

R

re-enter items 2-4
 re-use of disk space 6-3, 9-5
 remove
 all forms 6-5
 blank page 9-6
 file D-1, D-3
 form 4-13
 pre-defined print spec 5-14
 selected forms 6-1
 REMOVE function 6-1
 renumber forms 3-5, 6-3, 9-5
 required equipment I-7
 retrieve spec form . I-3, 3-5, 4-1, 5-2
 retrieve specifications 4-2
 review form 4-13, 5-16

S

search order 4-12
 search speed 1-4
 SEARCH/UPDATE function 4-1
 select items for printing 5-5
 selection number I-9

serial printer 5-3, B-3
SET UP PRINTER function 7-1
set up FILE I-7, B-1
SETUP program 9-1
SHIFT TAB key 2-3
single sheet printing 5-4
slash character 4-11
sort
 alphabetical 5-5
 numerical 5-5
spaces, treatment of 4-2
spare copy of program I-7
split a file 3-1, 3-8
start FILE I-8
store
 filled-in forms 2-4
 form design 1-7
 information 2-1

T

TAB key I-10, 1-1, 2-3
terminate an item 1-4
terminate printing mode 7-5
times I-8, 2-3
tree-structured directory I-11

U

update forms 4-13, 9-8
uppercase letters 1-8, 4-2
User Group Preface

V/W

volume labels I-11
warnings I-9, 1-7, 2-5, 2-11
"wild-card" match 4-7
work drive/diskette I-7, B-1, B-2
work space 9-1, 9-2
write-protect G-2





